

Safety Data Sheet Blueberry Crumble Fragrance Revision 1, Date 12/09/2021

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

1. IDENTIFICATION

Product Name: Blueberry Crumble Fragrance

Product Use Description: Fragrance for Consumer Product.

Contact Information:

Organisation	Location	Telephone	Ask For
Adelaide Moulding	7 Woodlands Terrace	08 8294 0451	SDS Officer
and Candle Supplies	Edwardstown, South		
	Australia, 5039		
Poisons Information		13 11 26	
Centre			

2. HAZARD IDENTIFICATION

Classification of Substance Flammable Liquid, Hazard Category 4 of Mixture: Skin Corrosion / Irritation Category 3

Skin Corrosion / Irritation Category 3
Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Reproductive Toxicity (Category 2) Acute Aquatic Toxicity (Category 2) Chronic Aquatic Toxicity (Category 2)

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid. H316, Causes mild skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Hazard Pictogram(s):



Signal Word: WARNING

Risk Phrases: R36 Irritating to eyes

R38 Irritating to skin

R43 May cause sensitization by skin contact.

R51 Toxic to aquatic organisms

 $\ensuremath{\mathsf{R53}}$ May cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

Safety Phrases: S16 Keep away from sources of ignition – No smoking.

S24 Avoid contact with skin.S25 Avoid contact with eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S29 Do not empty into drains.

 ${\tt S36/37/39}\ We ar suitable\ protective\ clothing/gloves\ and\ eye/face\ protection.$

S60 This material and its container must be disposed of hazardous waste.

S61 Avoid release to the environment.

Hazard Statements (s): H227, Combustible liquid.

H315 Causes skin irritation. H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H400, Very toxic to aquatic life. H401 Toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Precautionary Statements(s): P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 + P313 If exposed or concerned: Get medical advice/attention. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P362 Take off contaminate clothing and wash before reuse.

P363, Wash contaminated clothing before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Other Hazards: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Name	CAS No	EC No	GHS Classification	Concentration
Diethyl phthalate	84-66-2	201-550-6	Skin Irrit. 3-Aquatic Acute 3;H316- H402	20-<50%
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-	1222-05-5	214-946-9	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316-H410	10-<20%
benzopyran				
Ethyl maltol	4940-11-8	225-582-5	Acute Tox. 4;H302	5-<10%
Benzyl benzoate	120-51-4	204-402-9	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302- H313-H400-H411	5-<10%
Methyl dihydrojasmonate	24851-98-7	246-495-9	Aquatic Acute 3;H402	5-<10%
4-(p-Hydroxyphenyl)-2-butanone	5471-51-2	226-806-4	Aquatic Acute 3;H402	5-<10%
Ethyl vanillin	121-32-4	204-464-7	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-H402	1-<5%
Benzyl alcohol	100-51-6	202-859-9	Acute Tox. 4-Acute Tox. 5-Eye Irrit. 2A; H302-H313-H319	1-<5%

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986

	•			
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	915-730-3	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315- H317-H401- H410	1-<5%
Methyl N-methylanthranilate	85-91-6	201-642-6	Flam. Liq. 4-Acute Tox. 5;H227-H303	1-<5%
Hexyl salicylate	6259-76-3	228-408-6	Skin Irrit. 2-Skin Sens. 1-Aquatic Acute 1- Aquatic Chronic 1;H315- H317-H410	1-<5%
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	68039-49-6	939-604-2	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2- Skin Sens. 1B-Aquatic Acute 2- Aquatic Chronic 2;H227-H303-H315- H317-H411	1-<5%
Methyl anthranilate	134-20-3	205-132-4	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2AAquatic Acute 3;H303-H316- H319-H402	1-<5%
Benzyl acetate	140-11-4	205-399-7	Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 2- Aquatic Chronic 3;H303- H316-H401-H412	1-<5%
Butylated hydroxytoluene	128-37-0	204-881-4	Aquatic Acute 1-Aquatic Chronic 1;H410	1-<5%
Limonene	5989-27-5	227-813-5	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1;H226-H304-H315- H317-H410	0.1-<1%
alpha-iso-Methylionone	127-51-5	204-846-3	Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1BAquatic Acute 2-Aquatic Chronic 2;H315-H317-H320-H411	0.1-<1%
Citronellol	106-22-9	203-375-0	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317- H319-H401	0.1-<1%
Geraniol	106-24-1	203-377-1	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1-Aquatic Acute 3;H303-H315-H317-H318-H402	0.1-<1%
Terpineol	8000-41-7	232-268-1	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2- Eye Irrit. 2A-Aquatic Acute 3;H227- H303- H315-H319-H402	0.1-<1%
alpha-1-(2,6,6-Trimethyl-2- cyclohexen-1-yl)-2-buten-1-one	43052-87-5	245-845-8	Acute Tox. 4-Acute Tox. 5-Skin Sens. 1BAquatic Acute 2-Aquatic Chronic 2;H302-H313-H317-H411	0.1-<1%
Acetyl cedrene	32388-55-9	251-020-3	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316- H317-H410	0.1-<1%
Propionic acid	79-09-4	201-176-3	Flam. Liq. 3-Acute Tox. 5-Skin Corr. 1BEye Dam. 1;H226-H303-H314	0.1-<1%
beta-Pinene	127-91-3	204-872-5	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1;H226-H304-H315- H317-H410	0.1-<1%

Dimyrcetol	18479-58-8	242-362-4	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2- Eye Irrit. 2A-Aquatic Acute 3;H227- H303- H315-H319-H402	0.1-<1%
1-(2,6,6-Trimethylcyclohexa-1,3- dienyl) -2-buten-1-one	23696-85-7	245-833-2	Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1AAquatic Acute 2-Aquatic Chronic 2;H313-H315-H317-H411	0.1-<1%

Substances with Community workplace exposure limits, not listed above:

Name	CAS No	EC No	Concentration
Butylated hydroxytoluene	128-37-0	204-881-4	1.00%
Diethyl phthalate	84-66-2	201-550-6	27.80%
Propionic acid	79-09-4	201-176-3	0.20%

4. FIRST AID MEASURES

Ingestion: Give plenty of water to drink. Call a POISON CENTRE or doctor/physician if you feel unwell.

Skin Contact: Remove any contaminated clothing or shoes. Wash with plenty of soap and water. If skin irritation

persists: Get medical advice/attention.

Eye Contact: Flush eye(s) immediately with water for 15 minutes, lifting eyelids occasionally.

Contact a physician if irritation persists. Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do.

Continue rinsing.

Inhalation: Remove from the exposure to fresh air. Contact a physician, as necessary.

Most important symptoms and

nptoms and Causes mild skin irritation.

effects both acute and delayed: May cause an allergic skin reaction.

Causes serious eye irritation.

Indication of any immediate

Medical attention:

None expected.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Carbon dioxide, Dry chemical, Foam.

Unsuitable extinguishing media: Do not use full water jet.

Hazardous Combustion Products: In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Advice for Fire Fighters: In case of insufficient ventilation, wear suitable respiratory equipment. Avoid inhalation of generated

fumes or vapours. Keep containers cool by spraying them with water if exposed to fire. Wear self-

contained breathing apparatus and protective suit.

Hazchem Code: N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid inhalation. Avoid contact with skin and eyes.

Environmental Precautions: Keep away from drains, surface and ground water, and soil.

Methods and Suitable materials Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. for containment and cleaning up: Contain spillage immediately by use of sand or inert powder. Dispose of according to local

regulations.

Spills and Leaks:

Eliminate all ignition sources. Ventilate area. Contain spill and recover free product. Do not discharge

product into drains, surface water or ground water.

Absorb remainder on vermiculite or other suitable non-flammable absorbent material. Use of self-contained breathing apparatus is recommended for any major chemical spills. Place material and absorbent into sealed containers and dispose of in accordance with current applicable laws and regulation.

7. HANDLING AND STORAGE

General Precautions: Care should be taken to observe any precautions given on the container.

Precautions for Safe Handling: Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective

equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove contaminated clothing and wash before re-use. Use only in a well-ventilated area. Ground and bond containers when transferring material. Use spark-proof tools and explosion-proof equipment. Avoid contact with eyes, skin, and clothing – always wear safety goggles. Empty containers retain product residue (liquid and/or vapour) and can be hazardous. Do not re-use empty containers. Avoid contact with heat, sparks and flame. Do not pressurise, cut, weld,

braze, solder, drill, grind, or expose containers to heat, sparks or open flame

Conditions for Safe Storage: Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and

receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only

non-sparking tools. Take precautionary measures against static discharge.

Other Precautions: Good manufacturing practices dictate that an eyewash fountain and/or safety shower should be

available in the work area. Smoking and naked flames should not be permitted in areas where

product is handled.

Specific end use(s): Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m3	Reference
Butylated hydroxytoluene	128-37-0	204-881-4	Long-term exposure limit (8-	-	-	-
			hour TWA reference period)			
			Short-term exposure limit (15-	-	-	-
			minute reference period)			
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-	-	-	-
			hour TWA reference period)			
			Short-term exposure limit (15-	-	-	-
			minute reference period)			
Propionic acid	79-09-4	201-176-3	Long-term exposure limit (8-	-	-	-
			hour TWA reference period)			
			Short-term exposure limit (15-	-	-	-
			minute reference period)			

Exposure Controls

For diethyl benzene -1,2-dicarboxylate:

TWA 5mg/m3

For hexyl cinnamic aldehyde:

DNEL: Inhalation Systemic-long term 0.078mg/m3, Local-acute 6.3mg/m3, Dermal Systemic - long

 $term\ 18mg/kgbw/day,\ Local\ long\ term\ 525ug/cm2,\ local\ acute\ 525ug.cm2$

Engineering Controls: Not available.

Fire & Explosion Hazard: Keep away from heat and open flames.

Respiratory Protection: Use NIOSH approved respirator. Ensure adequate and ongoing ventilation is maintained in order to

prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Ventilation Protection: Use adequate general or local exhaust ventilation.

Eye Protection: Use goggles or face shields. Wear protective gloves/eye protection/face protection.

Skin Protection: Wear appropriate protective gloves to prevent skin exposure.

Clothing Protection: Wear appropriate protective clothing to prevent skin exposure.

Other Information: Avoid inhalation and contact with skin and eyes. Good hygiene practices should be used. Wash after

any contact, before breaks and meals or using the toilet, and at the end of the work period.

Contaminated clothing and shoes should be cleaned before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Faint Yellow To Pale straw
Aroma/Odour: Sweet Floral Raspberry Grape

pH: Not determined Initial boiling point/range: Not determined

Flash Point (closed cup test): 90.0 °C

Vapour pressure: Not determined
Solubility(ies): Not determined
Relative density: 1.0679 - 1.0819
Other information: None available

10. STABILITY AND REACTIVITY

Reactivity Hazards: Presents no significant reactivity hazard, by itself or in contact with water.

Chemical Stability: Good stability under normal temperatures and pressures.

Hazardous Reactions: Not expected under normal conditions of use.

Conditions to Avoid: Avoid extreme heat. Heating, pressurising, and impacting product.

Incompatibles: Avoid contact with strong acids, alkalis or oxidising agents.

Hazardous Combustion or

Decomposition Products:

No hazardous decomposition products known.

Hazardous Decomposition

Not expected.

Products:

11. TOXICOLOGICAL INFORMATION

Acute & Chronic health effects: Chronic, prolonged exposure to the product concentrate may result in irreversible effects.

Possible routes of exposure:

Ingestion:

Skin/eye exposure: Contact with skin and eyes may result in irritation.

Inhalation: Where this material is used at elevated temperatures vapour may cause irritation to mucous

membranes and respiratory tract, headache, and nausea.

Effects following exposure: Not available

Dose concentration or conditions

Not available

of exposure likely to cause injury:

Delayed effects: Not available

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Causes mild skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available

Inhalation Route: Not Available

Information about hazardous Ingredients in the Mixture:

Ingredient	CAS	EC	LD50/ATE	LD50/ATE	LC50/ATE	LC50 Route
			Oral	Dermal	Inhalation	
Benzyl alcohol	100-51-6	202-859-9	1620	2500	Not	Not
					Determined	Determined
Benzyl benzoate	120-51-4	204-402-9	1500	4000	Not	Not
					Determined	Determined
Ethyl maltol	4940-11-8	225-582-5	1200	Not	Not	Not
				Determined	Determined	Determined
diethyl benzene-1,2-dicarboxylate	-	-	8600	> 10000	Not	-
					Determined	
4-tert-butyl cyclohexyl acetate	-	-	5000	>5000	Not	-
					Determined	
hexyl cinnamic aldehyde	-	-	3100	>3000	>2100	-
4-allyl-2-methoxy phenol	-	-	>2000		Not	-
					Determined	
p-tert-butyl-alpha-methyl	-	-	1390	>5250	Not	-
dihydrocinnamic aldehyde					Determined	

12. ECOLOGICAL INFORMATION

For diethyl benzene-1,2-dicarboxylate

Ecotoxicity:

LC50 - Oncorhynchus mykiss (rainbow trout) - 12.00 mg/l - 96 h

NOEC - Lepomis macrochirus (Bluegill) - 1.65 mg/l - 96 h

LC50 Daphnia magna (Water flea) – 90.0 mg/l - 48 h

EC50 Desmodesmus subspicatus (Scenedesmus subspicatus) - 23 mg/l - 72 h

Persistence and degradability:

Biodegradability: aerobic - Exposure time 28d, Result: > 94.6 % - Readily biodegradable.

Bioaccumulation Lepomis macrochirus (Bluegill) - 21 d -0.00942 mg/l

Bioconcentration factor (BCF): 117

For 4-tert-butyl cyclohexyl acetate:

Ecotoxicity:

Toxicity to fish: LC50(96 h) = 8.6 mg/l

EC50 Daphnia magna (Water flea) = 5.3 mg/l – 48h (OECD Test Guideline 202)

Toxicity to algae: ErC50 = 17 mg/l - 72hBiodegradability: 75%, Readily biodegradable.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 7 of 6

For hexyl cinnamic aldehyde:

Daphnia magna (Water flea) LC50 0.36-0.59 mg/l/48hrs

Pimephales promelas (Fathead minnow) Fish LC50 1.7 mg/l/96hrs

(Growth Inhibition) EC50 Desmodesmus subspicatus (Scenedesmus subspicatus) >0.065 mg/l/72hrs

EC50 Worm Lumriculus variegatus 659 mg/l/28days

For 4-allyl-2-methoxy phenol:

LC50 Danio rerio (zebra fish) 13mg/L – 96h

EC50 Daphnia 1.13mg/L 48h

Persistence and degradability: Readily Biodegradable

Bioaccumulative potential: No data available

Mobility in soil: No data available

Results of PBT and vPvB assessment: PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted

For p-tert-butyl-alpha-methyl dihydrocinnamic aldehyde:

Daphnia magna (Water flea) LC50 22.4 mg/l/48hrs

(Growth Inhibition) EC50 Desmodesmus subspicatus (Scenedesmus subspicatus) 32.5 mg/l/72hrs

(Activated sludge respiration inhibition) Toxicity to bacteria EC50 104/3hours mg/l

FISH LC50 2.04 mg/l/96hr

Toxicity: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Persistence and degradability: Not Available.

Bioaccumulative potential: Not Available.

Mobility in soil: Not Available.

PBT and vPvB Assessment: This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

Other Adverse Effects: None

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the

environment. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

UN Number: UN3082

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-

hexamethyl cyclopenta-gamma-2-benzopyran, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-benzopyran, 1-(1,2,3,4,5,6,7,8-tetramethyl-2-benzopyran, 1-(1,2,3,4,5,6,7,8-tet

naphthalenyl)ethanone)

Transport Hazard Class(es): 9

Sub Risk: None

Packing Group:

Environmental Hazards: This is an environmentally hazardous substance.

Special Precautions for user: None additional

Transport in bulk according to Annex II of MARPOL73/78 and

Not Applicable

the IBC Code:

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 8 of 6

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations Specific for the substance or mixture

Water Hazard Class (WGK)

Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this product.

16. OTHER INFORMATION

Concentration % Limits: EH A1=93.59% EH A2=9.20% EH A3=0.90481361% EH C2=11.54% EH

C3=1.15% EH C4=79.71% SCI 3=6.75% EDI 2A=78.68% SS 1=50.00%

Total Fractional Values: EH A1=1.07 EH A2=10.87 EH A3=110.52 EH C2=8.66 EH C3=86.69 EH

C4=1.25 SCI 3=14.81 EDI 2A=1.27 SS 1=2.00

Key to revisions:

Concentration % Limits Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients Total Fractional Values

Key to abbreviations:

Abbreviation	Meaning	
Acute Tox. 4	Acute Toxicity - Oral Category 4	
Acute Tox. 5	Acute Toxicity - Dermal Category 5	
Acute Tox. 5	Acute Toxicity - Oral Category 5	
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2	
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3	
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3	
Asp. Tox 1	Aspiration Hazard Category 1	
Eye Dam. 1	Eye Damage / Irritation Category 1	
Eye Irrit. 2A	Eye Damage / Irritation Category 2A	
Eye Irrit. 2B	Eye Damage / Irritation Category 2B	
Flam. Liq. 3	Flammable Liquid, Hazard Category 3	
Flam. Liq. 4	Flammable Liquid, Hazard Category 4	
H226	Flammable liquid and vapour.	
H227	Combustible liquid.	
H302	Harmful if swallowed.	
H303	May be harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H313	May be harmful in contact with skin.	
H315	Causes skin irritation.	
H316	Causes mild skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H320	Causes eye irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H401	Toxic to aquatic life.	
H402	Harmful to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
P202	Do not handle until all safety precautions have been read and understood.	

Edwardstown SA 5039 ABN: 85 765 232 986

P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P281	Use personal protective equipment as required.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	do. Continue rinsing.
P330	Call a POISON CENTRE or doctor/physician if you feel unwell.
P331	Rinse mouth.
P332/313	Do not induce vomiting.
P333/313	If skin irritation occurs: Get medical advice/attention.
P337/313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

Abbreviations and acronyms

AICS: Australian Inventory of Chemical Substances

CAS: Chemical Abstracts Services GHS: Globally Harmonised System LD50: Median Lethal Dose (50%)

LC50: Median Lethal Concentration (50%)

NICNAS: National Industrial Chemicals Notification and Assessment Scheme

NIOSH: National Institute of Occupational Safety and Health

STEL: Short Term Exposure Limits TWA: Time Weighted Average

UN: United Nations AA204442 Revised 8 April 2021 page 6 of 6 $\,$

Key literature references and sources for data

Prepared in Accordance with:

Work Health and Safety Regulations 2011 Globally Harmonised System of Classification and Labelling of Chemicals (GHS) (United Nations)

Sources of Data:

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 List of Designated Hazardous Substances
Approved Criteria for Classifying Hazardous Substances
Safe Work Australia - Hazardous Chemical Information System (HCIS)
Australian Dangerous Goods Code
Australian Inventory of Chemical Substances (AICS) (NICNAS)
Exposure Standards (Workplace Exposure Standards for Airborne Contaminants)

Further Information

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.