

Safety Data Sheet Cinnamon Vanilla Fragrance Revision 1, Date 16/02/2021 Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

1. IDENTIFICATION

Cinnamon Vanilla Fragrance

Other Names: Product Use Description: Contact Information:

Product Name:

Fragrance for Consumer Product.				
Organisation	Location	Telephone	Ask For	
Adelaide Moulding	7 Woodlands Terrace	08 8294 0451	SDS Officer	
and Candle Supplies	Edwardstown, South Australia, 5039			
Poisons Information		13 11 26		
Centre				

2. HAZARD IDENTIFICATION

Classification of Substance of Mixture:

Flammable Liquids (Category 4) Acute Toxicity – Oral Category 4 Acute Toxicity – Dermal Category 5 Skin Corrosion/Irritation (Category 2) Eye Damage/Irritation (Category 2) Skin-Sensitisation (Category 1) Carcinogenicity (Category 1B) Hazardous to the Aquatic Environment - Acute (Category 1) Hazardous to the Aquatic Environment – Long-term (Category 2) H227 Combustible Liquid. H302 Harmful if swallowed. H313 May be harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H350 May cause cancer (exposure route). H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

Hazard Pictogram(s):



Signal Word:

DANGER

Hazard Statements (s):H227 Combustible liquid.
H302 Harmful if swallowed.
H313 May be harmful in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H350 May cause cancer (exposure route)
H400 Very toxic to aquatic life
H411 Toxic to aquatic life
H411 Toxic to aquatic life with long lasting effects.Precautionary Statements(s):P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, sparks, open flames, and hot surfaces – no smoking.
P261 Avoid breathing vapour or dust.

P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink, or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician in you feel unwell. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/attention. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P330 Rinse mouth. P333 + P313 If skin irritation persists: Get medical advice/attention. P337 + P313 if eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to an approved waste disposal plant, in accordance with local regulations.

Other Hazards: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

EC No	CAS No	Description	GHS Classification	Concentration	
204-402-9	120-51-4	Benzyl benzoate	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400- H411	20-<50%	
203-213-9	104-55-2	Cinnamaldehyde	Cinnamaldehyde Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye I Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2;H303-H312-H315-H317-H319-H401		
202-589-1	97-53-0	Eugenol	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2ASkin Sens. 1B-Aquatic Acute 2;H303-H316- H317-H319-H401	10-<20%	
204-464-7	121-32-4	Ethyl vanillin	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-H402	10-<20%	
202-086-7	91-64-5	Coumarin	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-H317-H402	1-<5%	
203-121-9	103-54-8	Cinnamyl acetate	Acute Tox. 5-Skin Irrit. 3;H303-H316	1-<5%	
204-409-7	120-57-0	Piperonal Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401		1-<5%	
204-602-6	123-11-5	p-Methoxybenzaldehyde	Acute Tox. 5-Aquatic Acute 3;H303-H402	1-<5%	
224-441-5	4360-47-8	Cinnamonitrile (isomer unspecified)	Acute Tox. 3-Acute Tox. 4-Skin Irrit. 3- Skin Sens. 1B;H301-H312-H316-H317	1-<5%	
201-746-1	87-44-5	beta-Caryophyllene	Skin Irrit. 3-Skin Sens. 1B-Asp. Tox 1; H304-H316-H317	1-<5%	
204-881-4	128-37-0	Butylated hydroxytoluene	Aquatic Acute 1-Aquatic Chronic 1;H410	1-<5%	
201-134-4	78-70-6	Linalool	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3; H227-H303-H315-H317-H319-H402	0.1-<1%	
202-680-6	98-55-5	alpha-Terpineol	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2;H227-H303- H315-H319-H401	0.1-<1%	
203-212-3	104-54-1	Cinnamyl alcohol	Acute Tox. 5-Skin Sens. 1B;H303-H317	0.1-<1%	
204-642-4	04-642-4 123-68-2 Allyl hexanoate		Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3- Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 3;H227-H301-H311-H331-H400- H412	0.1-<1%	

202-345-4	94-59-7	Safrole	Acute Tox. 4-Muta. 2-Carc. 1B;H302- H341-H350	0.1-<1%
203-118-2	103-50-4	Dibenzyl ether	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1BAquatic Acute 1-Aquatic Chronic 1;H303- H316-H317-H410	0.1-<1%

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Butylated hydroxytoluene	128-37-0	204-881-4	1.00%

4. FIRST AID MEASURES

If Swallowed:	Call a POISON CENTER or doctor/physician if you feel unwell.
Skin Contact:	IF ON SKIN, wash with plenty of soap and water.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
General:	IF exposed or concerned: Get medical advice/attention.
	Call a POISON CENTRE or doctor/physician if you feel unwell.
Most important symptoms and	Harmful if swallowed.
effects both acute and delayed:	May be harmful in contact with skin.
	Causes skin irritation.
	May cause an allergic skin reaction.
	Causes serious eye irritation.
	May cause cancer (exposure route).
Indication of any immediate	None expected.
Medical attention and special	

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Carbon dioxide, Dry chemical, foam.
Hazardous Combustion Products:	In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.
Advice for Fire Fighters:	In case of insufficient ventilation, wear suitable respiratory equipment.

6. ACCIDENTAL RELEASE MEASURES

Protective Equipment:	Avoid inhalation.
	Avoid contact with skin and eyes.
	See protective measures under Section 7 and 8.
Environmental Precautions:	Keep away from drains, surface and ground water, and soil.
Methods and Suitable materials	Remove ignition sources.
for containment and cleaning up:	Provide adequate ventilation.
	Avoid excessive inhalation of vapours.
	Contain spillage immediately by use of sand or inert powder.
	Dispose of according to local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling: Do not eat, drink, or smoke when using this product.

Storage conditions:

Store in a well-ventilated place.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 3 of 6 Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits:

Ingredient	CAS	EC	Description ppm		mg/m3	Reference
Butylated	128-37-0	204-881-4	Long-term exposure limit (8-	-	-	-
hydroxytoluene			hour TWA reference period)			
			Short-term exposure limit (15-	-	-	-
			minute reference period)			

Exposure Controls

Eye / Skin Protection	Avoid skin contact. Wear protective gloves/eye protection/face protection.
Respiratory Protection	 Ensure adequate and ongoing ventilation is maintained in order to prevent build-up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid
Colour:	Yellow
Aroma/Odour:	Conforms to Standard
Relative density:	1.0808 - 1.0948
Flash Point (closed cup test):	> 90.0 °C
pH:	Not determined
Initial boiling point/range:	Not determined
Vapour pressure:	Not determined
Solubility(ies):	Not determined

10. STABILITY AND REACTIVITY

Reactivity Hazards:	Presents no significant reactivity hazard, by itself or in contact with water.
Chemical Stability:	Good stability under normal storage conditions.
Hazardous Reactions:	Not expected under normal conditions of use.
Conditions to Avoid:	Avoid extreme heat.
Incompatibles:	Avoid contact with strong acids, alkalis or oxidising agents.
Hazardous Decomposition Products:	Not expected.

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause cancer (exposure route).

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: 1843 Assumed Toxicity Value (LD50 of ATE) for Acute Dermal Toxicity: 4103 Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available Inhalation Route: Not Available

Information about hazardous Ingredients in the Mixture:

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE	LC50/ATE	LC50 Route
				Dermal	Inhalation	
Allyl hexanoate	123-68-2	204-642-4	300	300	3	Vapour
Benzyl benzoate	120-51-4	204-402-9	1500	4000	Not available	Not available
Cinnamaldehyde	104-55-2	203-213-9	2500	1100	Not available	Not available
Cinnamonitrile	4360-47-8	224-441-5	275	1910	Not available	Not available
(isomer unspecified)						
Coumarin	91-64-5	202-086-7	500	Not available	Not available	Not available

12. ECOLOGICAL INFORMATION

Toxicity:	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Persistence and degradability:	Not Available
Bioaccumulative potential:	Not Available
Mobility in soil:	Not Available
PBT and vPvB Assessment:	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.
Other Adverse Effects:	Not Available

13. DISPOSAL CONSIDERATIONS

Disposal:	Dispose of in accordance with local regulations.
	Avoid disposing into drainage systems and into the environment.
	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

UN Number:	UN3082
UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, Butylated hydroxytoluene)
Transport Hazard Class(es): Sub Risk:	9 -
Packing Group:	Ш

Environmental Hazards:	This is an environmentally hazardous substance.
Special Precautions for user:	None additional
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not Applicable

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations Specific for the substance or mixture

3

Water Hazard Class (WGK)

Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this product.

16. OTHER INFORMATION

Concentration % Limits:	EH A1=88.98% EH A2=7.80% EH A3=0.77629665% EH C2=66.01% EH C3=6.60% EH C4=89.37% SCI
	2=55.20% SCI 3=4.73% EDI 2A=21.80% EDI 2B=100.00% SS 1=0.55202871% CAR 1B=97.05%
Total Fractional Values:	EH A1=1.12 EH A2=12.81 EH A3=128.82 EH C2=1.52 EH C3=15.15 EH C4=1.12 SCI 2=1.81 SCI 3=21.13
	EDI 2A=4.59 EDI 2B=1.00 SS 1=181.15 CAR 1B=1.03

Further Information

Abbreviation	Meaning	
Acute Tox. 3	Acute Toxicity – Oral Category 3	
Acute Tox. 3	Acute Toxicity – Dermal Category 3	
Acute Tox. 3	Acute Toxicity – Inhalation Category 3	
Acute Tox. 4	Acute Toxicity – Oral Category 4	
Acute Tox. 4	Acute Toxicity – Dermal Category 4	
Acute Tox. 5	Acute Toxicity – Oral Category 5	
Acute Tox. 5	Acute Toxicity – Dermal Category 5	
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2	
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3	
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3	
Asp. Tox 1	Aspiration Hazard Category 1	
Carc. 1B	Carcinogenicity Category 1B	
Eye Irrit. 2A	Eye Damage / Irritation Category 2	
Eye Irrit. 2B	Eye Damage / Irritation Category 2B	
Flam. Liq. 4	Flammable Liquid, Hazard Category 4	
Flam. Sol. 2	Flammable Solid, Hazard Category 2	
H227	Combustible liquid.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H303	May be harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H313	May be harmful in contact with skin.	
H315	Causes skin irritation.	
H316	Causes mild skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H320	Causes eye irritation.	
H331	Toxic if inhaled.	
H341	Suspected of causing genetic defects (exposure route).	
H350	May cause cancer (exposure route).	
H400	Very toxic to aquatic life.	

Adelaide Moulding and Candle Supplies

7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 6 of 6

H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P2801	Use personal protective equipment as required.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P311	Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.