

Safety Data Sheet Lavender Essential Oil Revision 3, Date 22/08/2022 In accordance with UN GHS latest edition

1. IDENTIFICATION

Contact Information:	Organisation	Location	Те
Product Use Description:	Fragrance		
Product Name:	Lavender Essential Oil		

t Information:	Organisation	Location	Telephone	Ask For	
	Adelaide Moulding	7 Woodlands Terrace	08 8294 0451	SDS Officer	
	and Candle Supplies	Edwardstown South			
		Australia 5039			
	Poisons Information		13 11 26		
	Centre				

2. HAZARD IDENTIFICATION

Classification of Substance of Mixture:	Flammable Liquid, Hazard Category 4 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 H227, Combustible liquid. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H412, Harmful to aquatic life with long lasting effects.
Signal Word:	WARNING
Hazard Statements (s):	H227, Combustible liquid. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H412, Harmful to aquatic life with long lasting effects.
Precautionary Statements(s):	 P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P403/235, Store in a well-ventilated place. Keep cool. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Hazard Pictogram(s):



Other hazards:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Name	CAS	%	GHS Classification
Linalyl acetate	115-95-7	20-<50%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3; H227-H315-H319-H402
d-Camphor	464-49-3	1-<5%	Flam. Liq. 4-Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4- STOT SE 2-Aquatic Acute 3;H227-H228-H302-H332- H371-H402
Eucalyptol	470-82-6	1-<5%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B; H226-H303-H316-H317
beta-Caryophyllene	87-44-5	1-<5%	Skin Irrit. 3-Skin Sens. 1B-Asp. Tox 1;H304-H316-H317
4-Carvomentheno	562-74-3	1-<5%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3;H227-H302-H313-H315- H319- H402
Borneo	507-70-0	1-<5%	Flam. Sol. 2-Aquatic Acute 3;H228-H402
1,7,7-Trimethylbicyclo[2.2.1] heptan-2-one	76-22-2	1-<5%	Flam. Liq. 4-Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4- STOT SE 2-Aquatic Acute 3;H227-H228-H302-H332- H371-H402
cis-beta-Ocimene	3338-55-4	1-<5%	Flam. Liq. 3-Skin Irrit. 3-Asp. Tox 1;H226-H304-H316
alpha-Terpineol	98-55-5	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 2;H227-H303-H315-H319-H401
trans beta-Ocimene	3779-61-1	1-<5%	Skin Irrit. 3-Asp. Tox 1;H304-H316
Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
l-Limonene	5989-54-8	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
alpha Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H303-H304-H315-H317-H410
Geranyl acetate	105-87-3	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412

Substances with Community Not Applicable workplace exposure limits, not listed above:

4. FIRST AID MEASURES

Inhalation:

Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye Exposure:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 2 of 6

delayed:	Causes serious eye irritation.
Most important symptoms and effects, both acute and	Causes skin irritation. May cause an allergic skin reaction.
Ingestion:	Rinse mouth with water and obtain medical attention.
Skin Exposure:	IF ON SKIN: Wash with plenty of soap and water.

Indication of any immediate None expected, see Section 4.1 for further information. medical attention and special treatment needed:

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Carbon dioxide, Dry chemical, Foam.
Special hazards arising from substance or mixture:	In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.
Advice for Fire Fighters:	In case of insufficient ventilation, wear suitable respiratory equipment.

6. ACCIDENTAL RELEASE MEASURES

Protective precautions, protective equipment and emergency procedures:	Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.
Environmental Precautions:	Keep away from drains, surface and ground water, and soil.
Methods and Suitable materials for spill containment:	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

Reference to other sections: Also refer to sections 8 and 13.

7. HANDLING AND STORAGE

Precautions for safe handling:	Keep away from heat, sparks, open flames and hot surfaces. No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.
Conditions for safe storage, including any incompatibilities:	Store in a well-ventilated place. Keep container tightly closed. To prevent congealing and denaturing it is recommended that goods are stored at temperatures between 15 - 30°C. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
Specific end use(s):	Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits: Not Applicable

Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory ProtectionUnder normal conditions of use and where adequate ventilation is available to prevent build up of
excessive vapour, this material should not require special engineering controls. However, in
conditions of high or prolonged use, or high temperature or other conditions which increase
exposure, the following engineering controls can be used to minimise exposure to personnel:
a) Increase ventilation of the area with local exhaust ventilation.
b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or
canisters and particulate filters.
c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

A ========	Colourless - Faint Yellow
Appearance:	
Odour:	Herbal Lavender
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	70.5 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability	Product does not present an explosion hazard
or explosive limits:	
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	0.8876 - 0.9016
Solubility(ies):	Not determined
Partition coefficient:	Not determined
n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
Other information:	None available

10. STABILITY AND REACTIVITY

Reactivity Hazards:	Presents no significant reactivity hazard, by itself or in contact with water.
Chemical Stability:	Good stability under normal storage conditions.
Hazardous Reactions:	Not expected under normal conditions of use.
Conditions to Avoid:	Avoid extreme heat.
Incompatibles:	Avoid contact with strong acids, alkalis, or oxidising agents.
Hazardous Decomposition Products:	Not expected.

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Acute Toxicity:

Based on available data the classification criteria are not met. Acute Toxicity Oral >5000 Acute Toxicity Oral >5000 Acute Toxicity Dermal >5000 Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
1,7,7-Trimethylbicyclo [2.2.1]heptan-2-one	76-22-2	1500	Not available	1.5	Dust/mist
4-Carvomenthenol	562-74-3	1300	2500	Not available	Not available
Eucalyptol	470-82-6	2480	Not available	Not available	Not available
alpha-Terpineol	98-55-5	4300	Not available	Not available	Not available
d-Camphor	464-49-3	1500	Not available	1.5	Dust/mist

Refer to Sections 2 and 3 for additional information

12. ECOLOGICAL INFORMATION

Toxicity:	Harmful to aquatic life with long lasting effects.
Persistence and degradability:	Not Available
Bioaccumulative potential:	Not Available
Mobility in soil:	Not Available
Other Adverse Effects:	Not Available

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

UN Number:	None
UN Proper Shipping Name:	-
Transport Hazard Class(es): Sub Risk:	-
Packing Group:	-
Environmental Hazards:	Not environmentally hazardous for transport
Special Precautions for user:	None additional
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not classified

15. REGULATORY INFORMATION

Regulatory Information:

None additional

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 5 of 6

16. OTHER INFORMATION

Concentration % Limits:	EH A3=10.64% EH C3=14.12% SCI 2=27.66% SCI 3=2.58% EDI 2A=27.66% SS 1=22.13%
Total Fractional Values:	EH A3=9.40 EH C3=7.08 SCI 2=3.62 SCI 3=38.83 EDI 2A=3.62 SS 1=4.52
Key to revisions:	Concentration % Limits Hazardous Ingredients declared in a GHS Product Identifier SECTION 3: Composition/information on ingredients Total Fractional Values

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity – Oral Category 4
Acute Tox. 4	Acute Toxicity – Inhalation Category 4
Acute Tox. 5	Acute Toxicity – Oral Category 5
Acute Tox. 5	Acute Toxicity – Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs (organs, exposure route).
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 6 of 6

P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.