

Safety Data Sheet Lemon Lavender Fragrance Revision 5, Date 22/01/2023

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

1. IDENTIFICATION

Product Name: Lemon Lavender Fragrance

Other Names:

Product Use Description: Fragrances

Contact Information: Organisation Location Telephone Ask For

Adelaide Moulding 7 Woodlands Terrace 08 8294 0451 SDS Officer and Candle Supplies Edwardstown South

Australia 5039

Poisons Information 13 11 26

Centre

2. HAZARD IDENTIFICATION

Classification of Substance: Flammable Liquid, Hazard Category 4 of Mixture Acute Toxicity - Dermal Category 5

Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Carcinogenicity Category 2

Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.

H313, May be harmful in contact with skin.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H351, Suspected of causing cancer (exposure route). H411, Toxic to aquatic life with long lasting effects.

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Statements (s): H227, Combustible liquid.

H313, May be harmful in contact with skin.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H351, Suspected of causing cancer (exposure route). H411, Toxic to aquatic life with long lasting effects.

Precautionary Statements(s): P202, Do not handle until all safety precautions have been read and understood.

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

 ${\tt P305/351/338, IF\ IN\ EYES: Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove\ contact}$

lenses, if present and easy to do. Continue rinsing.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell.

P308/313, IF exposed or concerned: Get medical advice/attention.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Other Hazards: Hydrocarbon Concentration %: 0.0000%

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Name	CAS No	%	GHS Classification	
Linalyl acetate	115-95-7	10-<20%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3; H227-H315-H319-H402	
Isobornyl acetate	125-12-2	5-<10%	Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2;H227-H316- H401	
Terpinyl acetate (Isomer mixture)	8007-35-0	5-<10%	Skin Irrit. 3-Aquatic Acute 2;H316-H401	
1,3,4,6,7,8- Hexahydro4,6,6,7,8,8- hexamethylcyclopenta- gamma2-benzopyran	1222-05-5	5-<10%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410	
2-Hexyl-(E)-cinnamaldehyde	165184-98-5, 101- 86-0	1-<5%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411	
Nopyl acetate	128-51-8	1-<5%	Acute Tox. 5-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H317-H319-H411	
Terpineol	8000-41-7	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H303-H315-H319-H402	
Isononyl acetate (isomer unspecified)	40379-24-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Aquatic Acute 2- Aquatic Chronic 2;H227-H303-H315-H411	
Tetrahydrolinalool	78-69-3	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2; H227-H315-H319-H401	
Musk ketone	81-14-1	1-<5%	Skin Irrit. 3-Carc. 2-Aquatic Acute 1-Aquatic Chronic 1; H316-H351-H410	
Dimyrcetol	18479-58-8	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H303-H315-H319-H402	
Eucalypto	470-82-6	1-<5%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B; H226-H303-H316-H317	
d-Camphor	464-49-3	1-<5%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-STOT SE 2- Aquatic Acute 3;H228-H302-H332-H371-H402	
Coumarin	91-64-5	1-<5%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402	
1-(5,6,7,8- Tetrahydro3,5,5,6,8,8- hexamethyl-2- naphthyl)ethan-1-one (Fixolid)	1506-02-1	0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302- H410	
Butylated hydroxytoluene	128-37-0	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410	

beta-Caryophyllene	87-44-5	0.1-<1%	Skin Irrit. 3-Skin Sens. 1B-Asp. Tox 1;H304-H316-H317	
4-Carvomenthenol	562-74-3	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3;H227-H302-H313-H315-H319- H402	
6,7-Dihydro-1,1,2,3,3- pentamethyl-4(5H)-indanone	33704-61-9	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1BAquatic Acute 2-Aquatic Chronic 2;H303-H315-H317- H319-H411	
alpha-Terpineol	98-55-5	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 2;H227-H303-H315-H319-H401	
Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410	
alpha Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H303-H304-H315-H317-H410	
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410	
Neryl acetate	141-12-8	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412	
Citral	5392-40-5	50-100%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1BAquatic Acute 2;H313-H315-H317-H319-H401	
Diethyl phthalate	84-66-2	20-<50%	Skin Irrit. 3-Aquatic Acute 3;H316-H402	
2-Hexyl-(E)-cinnamaldehyde	165184-98-5, 101- 86-0	1-<5%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411	
Butylated hydroxytoluene	128-37-0	1-<5%	Aquatic Acute 1-Aquatic Chronic 1;H410	
Citronellol	106-22-9	1-<5%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401	
1,3,4,6,7,8- Hexahydro4,6,6,7,8,8 hexamethylcyclopenta- gamma2-benzopyran	1222-05-5	1-<5%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316-H410	
4-tert-Butylcyclohexyl acetate	32210-23-4	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317- H401	
Isohexenyl cyclohexenyl Carboxaldehyde	37677-14-8	0.1-<1%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H317- H411	
Geranyl acetate	105-87-3	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412	
dl-Limonene (racemic)	138-86-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	
Dimyrcetol	18479-58-8	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H303-H315-H319-H402	
Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	
Benzyl benzoate	120-51-4	0.1-<1%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411	
Benzyl salicylate	118-58-1	0.1-<1%	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412	

4. FIRST AID MEASURES

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

Most important symptoms and

Causes skin irritation.

effects both acute and delayed: May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of causing cancer (exposure route).

Indication of any immediate
Medical attention and special
treatment needed:

None expected, see Section 4.1 for further information.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Carbon dioxide, Dry chemical, Foam.

Hazardous Combustion Products: In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Advice for Fire Fighters: In case of insufficient ventilation, wear suitable respiratory equipment.

6. ACCIDENTAL RELEASE MEASURES

Protective Equipment,
Personal Precautions and
Emergency Procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Environmental Precautions: Keep away from drains, surface and grounder water, and soil.

Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local

regulations.

Reference to other sections: Also refer to sections 8 and 13.

7. HANDLING AND STORAGE

Precautions for safe handling: Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective

equipment as required. Use in accordance with good manufacturing and industrial hygiene practices.

Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

Conditions for safe storage,

 $including\ incompatibilities:\\$

Store in a well-ventilated place. Keep container tightly closed. To prevent congealing and denaturing it is recommended that goods are stores at temperatures between 15-30 °Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only

non-sparkling tools. Take precautions measure against discharge.

Specific end use(s): Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Workplace exposure limits: Not Applicable

Exposure Controls

Eye / Skin Protection Wear protective gloves/eye protection/face protection.

Respiratory Protection: Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour

and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your

Adelaide Moulding and Candle Supplies

7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au

Page 4 of 6

patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:Colourless - Faint YellowOdour:Citrus, Herbal, Lavender

Odour threshold:

pH:

Not determined

Flash point: 85 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or

explosive limits: Product does not present an explosion hazard

Vapour pressure:Not determinedVapour density:Not determinedRelative density:0.9091 - 0.9231

Product: Lavender Fragrance FIA202519

Version: 5

Solubility (ies): Not determined

Partition coefficient

n-octano/water: Not determined
 Auto-ignition temperature: Not determined
 Decomposition temperature: Not determined
 Viscosity: Not determined
 Explosive properties: Not expected
 Oxidising properties: Not expected

Other information: None available

10. STABILITY AND REACTIVITY

Reactivity: Presents no significant reactivity hazard, by itself or in contact with water.

Chemical Stability: Good stability under normal storage conditions.

Possibility of hazardous reactions: Not expected under normal conditions of use.

Conditions to Avoid: Avoid extreme heat.

Incompatible materials: Avoid contact with strong acids, alkalis or oxidising agents.

Hazardous Decomposition Not expected.

Products:

idets.

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Acute Toxicity: Acute Toxicity - Dermal Category 5.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 5 of 6 Acute Toxicity Oral: >5000 Acute Toxicity Dermal: 3548

Acute Toxicity Inhalation: Not available

Skin corrosion/irritation: Skin Corrosion/Irritation Category 2

Serious eye damage/irritation: Eye Damage / Irritation Category 2

 $\textbf{Respiratory or skin sensitisation:} \qquad \text{Sensitization} - \text{Skin Category 1}$

Germ cell mutagenicity: Based on available data the classification criteria are note met.

Carcinogenicity: Carcinogenicity Category 2

Reproductive toxicity: Based on available data the classification criteria are note met.

STOT – single exposure: Based on available data the classification criteria are note met.

STOT- repeated exposure: Based on available data the classification criteria are note met.

Aspiration hazard: Based on available data the classification criteria are not met

Information about hazardous Ingredients in the Mixture:

Ingredient	CAS	LD50/ATE	LD50/ATE	LC50/ATE	LC50 Route
		Oral (mg/kg)	Dermal	Inhalation	
			(mg/kg)		
2-Hexyl-(E)-	165184-98-5,	3100	Not available	Not available	Not available
cinnamaldehyde	101-86-0				
Coumarin	91-64-5	500	Not available	Not available	Not available
Dimyrcetol	18479-58-8	3600	Not available	Not available	Not available
Eucalyptol	470-82-6	2480	Not available	Not available	Not available
Isononyl acetate	40379-24-6	4250	Not available	Not available	Not available
(isomer unspecified)					
Nopyl acetate	128-51-8	2940	Not available	Not available	Not available
Terpineol	8000-41-7	4300	Not available	Not available	Not available
d-Camphor	464-49-3	1500	Not available	1.5	Dust/mist
Citral	5392-40-5	Not available	2250	Not available	Not available
Citronellol	106-22-9	3450	2650	Not available	Not available

Refer to Sections 2 and 3 for additional information.

12. ECOLOGICAL INFORMATION

Toxicity: Very toxic to aquatic life with long lasting effects.

Persistence and degradability: Not Available

Bioaccumulative potential: Not Available

Mobility in soil: Not Available

Other Adverse Effects: Not Available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods: Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the

environment. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

UN Number: UN3082

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8

hexamethylcyclopenta-gamma-2- benzopyran, Musk ketone)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-

hexamethylcyclopenta-gamma-2-benzopyran, Musk ketone) MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-

hexamethylcyclopenta-gamma-2-benzopyran, Musk ketone)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-

hexamethylcyclopenta-gamma-2-benzopyran, Musk ketone)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-

hexamethylcyclopenta-gamma-2-benzopyran, Butylated hydroxytoluene)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8 hexamethylcyclopenta-gamma-2-benzopyran, Butylated hydroxytoluene) MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-

hexamethylcyclopenta-gamma-2-benzopyran, Butylated hydroxytoluene)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-

hexamethylcyclopenta-gamma-2-benzopyran, Butylated hydroxytoluene)

Transport Hazard Class(es): 9

Sub Risk: -

Packing Group:

Environmental Hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is

classified as a Marine Pollutant under the IMDG Code.

Special Precautions for user: None additional

Transport in bulk according to Annex II of MARPOL73/78 and

the IBC Code:

Not Applicable

15. REGULATORY INFORMATION

Regulatory Information: None additional

16. OTHER INFORMATION

Concentration % Limits: SCI 2=37.29% SCI 3=3.25% EDI 2A=34.70% SS 1=22.22% CAR 2=50.00% EH A2=15.99% EH A3=1.57%

EH C2=24.78% EH C3=2.48%

EH A2=21.55% EH A3=2.11% EH C2=78.21% EH C3=7.82% SCI 2=15.

73% SCI 3=1.46% EDI 2A=15.73% SS 1=1.60%

Total Fractional Values: SCI 2=2.68 SCI 3=30.81 EDI 2A=2.88 SS 1=4.50 CAR 2=2.00 EH A2=6.26EH A3=63.54 EH C2=4.04 EH

C3=40.36

EH A2=4.64 EH A3=47.41 EH C2=1.28 EH C3=12.79 SCI 2=6.36 SCI 3=68.42 EDI 2A=6.36 SS 1=62.56

Key to revisions: Concentration % Limits

SECTION 3: Composition/information on ingredients

Total Fractional Values

Adelaide Moulding and Candle Supplies

7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au

Page 7 of 6

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aguatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	
	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer (exposure route).
H371	May cause damage to organs (organs, exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P309/311	IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1B	Sensitization - Skin Category 1B

Further Information

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.