

Safety Data Sheet Rosewood Fragrance Revision 1, Date 15/11/2022

In accordance with UN GHS latest edition

1. IDENTIFICATION

Product Name: Rosewood Fragrance

Other Names:

Product Use Description: Fragrance for Consumer Product.

Contact Information:

Organisation	Location	Telephone	Ask For
Adelaide Moulding	7 Woodlands Terrace	08 8294 0451	SDS Officer
and Candle Supplies	Edwardstown South		
	Australia 5039		
Poisons Information		13 11 26	
Centre			

2. HAZARD IDENTIFICATION

Classification of Substance Flammable Liquid, Hazard Category 4 of Mixture: Flammable Liquid, Hazard Category 2

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Aspiration Hazard Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Signal Word: WARNING

Hazard Statements (s): H227, Combustible liquid.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements(s): P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

 ${\tt P305/351/338, IF\ IN\ EYES: Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove\ contact}$

lenses, if present and easy to do. Continue rinsing.

Adelaide Moulding and Candle Supplies

7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au

Page 1 of 6

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Hazard Pictogram(s):



Other hazards: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Name	CAS	%	GHS Classification	
Diethyl phthalate	84-66-2	10-<20%	Skin Irrit. 3-Aquatic Acute 3;H316-H402	
1-(1,2,3,4,5,6,7,8- Octahydro2,3,8,8-tetramethyl- 2-naphthalenyl)ethenone	54464-57-2	10-<20%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410	
Acetyl cedrene	32388-55-9	10-<20%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316-H317-H410	
Methyl dihydrojasmonate	24851-98-7	5-<10%	Aquatic Acute 3;H402	
Linalyl acetate	115-95-7	5-<10%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3; H227-H315-H319-H402	
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	28219-61-6	5-<10%	Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 1;H319- H410	
4-tert-Butylcyclohexyl acetate	32210-23-4	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401	
Cedryl acetate	77-54-3	1-<5%	Skin Irrit. 3-Aquatic Acute 2-Aquatic Chronic 2;H316- H411	
3,7-Dimethyl-1,6-nonadien-3- ol	10339-55-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H303-H315-H319-H402	
Limonene	5989-27-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410	
Patchouli alcohol	5986-55-0	1-<5%	Skin Irrit. 3;H316	
Cedrol	77-53-2	1-<5%	Flam. Liq. 4-Aquatic Acute 2-Aquatic Chronic 2;H227- H411	
alpha-Cedrene	469-61-4	1-<5%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410	
Dimyrcetol	18479-58-8	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H303-H315-H319-H402	
5-(2,2,3-Trimethyl-3- cyclopentenyl)-3- methylpentan2-o	65113-99-7	1-<5%	Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 2-Aquatic Chronic 2;H316-H319-H411	
Isobornyl acetate	125-12-2	1-<5%	Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2;H227-H316- H401	

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 2 of 6

alpha-Guaiene	3691-12-1	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1;H304-H315-H319
Benzyl benzoate	120-51-4	0.1-<1%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
Butylated hydroxytoluene	128-37-0	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410
alpha-iso-Methylionone	127-51-5	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2- Aquatic Chronic 2;H315-H317-H320-H411
Estragole	140-67-0	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Skin Irrit. 3-Skin Sens. 1BMuta. 2-Carc. 2-Aquatic Acute 3;H227-H302-H316- H317-H341-H351-H402
beta-Cedrene	546-28-1	0.1-<1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410
alpha Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H303-H304-H315-H317-H410
beta-Caryophyllene	87-44-5	0.1-<1%	Skin Irrit. 3-Skin Sens. 1B-Asp. Tox 1;H304-H316-H317
Cedrol methyl ether	19870-74-7	0.1-<1%	Skin Sens. 1-Aquatic Chronic 1;H317-H410
Camphene	79-92-5	0.1-<1%	Flam. Liq. 3-Flam. Sol. 2-Eye Irrit. 2B-Aquatic Acute 1- Aquatic Chronic 1;H226-H228-H320-H410
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
Sandalwood Firmenich 77125E	3	0.1-<1%	Skin Irrit. 2-Aquatic Chronic 1;H315-H410

Substances with Community workplace exposure limits, not listed above:

Not Applicable

4. FIRST AID MEASURES

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye Exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

Skin Exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and

May be fatal if swallowed and enters airways.

nd effects, both acute and Causes skin irritation.

delayed: May cause an allergic skin reaction.

Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed:

None expected, see Section 4.1 for further information.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Carbon dioxide, Dry chemical, Foam.

Special hazards arising from substance or mixture:

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Advice for Fire Fighters: In case of insufficient ventilation, wear suitable respiratory equipment.

6. ACCIDENTAL RELEASE MEASURES

Protective precautions, Avoid inhalation.

protective equipment Avoid contact with skin and eyes.

and emergency procedures: See protective measures under Section 7 and 8.

Environmental Precautions: Keep away from drains, surface and ground water, and soil.

Methods and Suitable materials Remove ignition sources. for spill containment: Provide adequate ventilation.

Avoid excessive inhalation of vapours.

Contain spillage immediately by use of sand or inert powder.

Dispose of according to local regulations.

Reference to other sections: Also refer to sections 8 and 13.

7. HANDLING AND STORAGE

Precautions for safe handling: Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective

equipment as required. Use in accordance with good manufacturing and industrial hygiene practices.

Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. To prevent congealing and denaturing it is recommended that goods are stored at temperatures between 15 - 30°C.

Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static

discharge.

Specific end use(s): Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m3	Reference
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-	-	-	-
			hourTWA reference period)			
			Short-term exposure limit			
			(15-minutereference period)			

Exposure Controls

Eye / Skin Protection Wear protective gloves/eye protection/face protection

Respiratory Protection Ensure adequate and ongoing ventilation is maintained in order to prevent build-up of excessive

vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional

protective measures:

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel:

a) Increase ventilation of the area with local exhaust ventilation.

b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or

canisters and particulate filters.

c) Use closed systems for transferring and processing this material. d) Use closed systems for transferring and processing this material.

Hand Protection: Avoid skin contact. Use chemically resistant gloves.

General Protection: Follow good manufacturing practices for personal hygiene. Wash any exposed skin immediately after

chemical contact, before breaks and meals, and at the end of each work period.

Engineering Controls: Ensure that eyewash stations and safety showers are proximal to the workstation location.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace

Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 4 of 6

Edwardstown SA 5039 ABN: 85 765 232 986 Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value.

Also refer to Sections 2 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Faint Yellow, Pale Straw
Odour: Fresh, Floral, Woody
Odour threshold: Not determined
PH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined
Flash point: > 90 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability Product does not present an explosion hazard

or explosive limits:

Vapour pressure: Not determined Vapour density: Not determined Relative density: 0.9652 - 0.9792 Solubility(ies): Not determined Partition coefficient: Not determined n-octanol/water: Not determined Auto-ignition temperature: Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected Other information: None available

10. STABILITY AND REACTIVITY

Reactivity Hazards: Presents no significant reactivity hazard, by itself or in contact with water.

Chemical Stability: Good stability under normal storage conditions.

Hazardous Reactions: Not expected under normal conditions of use.

Conditions to Avoid: Avoid extreme heat.

Incompatibles: Avoid contact with strong acids, alkalis, or oxidising agents.

Hazardous Decomposition

Products:

Not expected.

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral: >5000 Acute Toxicity Dermal: >5000

Acute Toxicity Inhalation: Not Available Skin Corrosion / Irritation Category 2

 Skin corrosion/irritation:
 Skin Corrosion / Irritation Category

 Serious eye damage/irritation:
 Eye Damage / Irritation Category 2

 Respiratory or skin sensitisation:
 Sensitization - Skin Category 1

Germ cell mutagenicity: Based on available data the classification criteria are not met.

Carcinogenicity: Based on available data the classification criteria are not met.

ABN: 85 765 232 986

Phone: +61 8 8294 0451

Page 5 of 6

Reproductive toxicity:Based on available data the classification criteria are not met.STOT-single exposure:Based on available data the classification criteria are not met.STOT-repeated exposure:Based on available data the classification criteria are not met.

Aspiration hazard: Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture:

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
3,7-Dimethyl-1,6-	10339-55-6	5000	Not available	Not available	Not available
nonadien-3-ol					
4-tert-	32210-23-4	3370	Not available	Not available	Not available
Butylcyclohexyl					
Acetate					
Dimyrcetol	18479-58-8	3600	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information

12. ECOLOGICAL INFORMATION

Toxicity: Very toxic to aquatic life with long lasting effects.

Persistence and degradability: Not Available

Bioaccumulative potential: Not Available

Mobility in soil: Not Available

PBT and vPvB Assessment: This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

Other Adverse Effects: Not Available

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the

environment. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

UN Number: UN3082

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-

(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1,3,4,6,7,8-Hexahydro-

4,6,6,7,8,8-hexamethylcyclopenta-gamma-2- benzopyran)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha Cedrene, 1-(1,2,3,4,5,6,7,8-

Octahydro2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)

 ${\tt ENVIRONMENTALLY\ HAZARDOUS\ SUBSTANCE,\ LIQUID,\ N.O.S.\ (alpha Cedrene,\ 1-(1,2,3,4,5,6,7,8-1))}$

Octahydro2,3,8,8-tetramethyl-2-naphthalenyl)ethanone) MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alphaCedrene, 1-(1,2,3,4,5,6,7,8-

Octahydro2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alphaCedrene, 1-(1,2,3,4,5,6,7,8-

Octahydro2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)

Transport Hazard Class(es): 9

Sub Risk: -

Packing Group:

Page 6 of 6

Environmental Hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is

classified as a Marine Pollutant under the IMDG Code.

Special Precautions for user: None additional

Transport in bulk according to Annex II of MARPOL73/78 and

the IBC Code:

Not applicable

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations Specific for the substance or mixture

Water Hazard Class (WGK) 3

Chemical Safety Assessment A Chemical Safety Assessment has not been carried out for this product.

Regulatory Information: None additional

16. OTHER INFORMATION

Concentration % Limits: EH A1=59.41% EH A2=5.61% EH A3=0.55630572% EH C1=45.25% EH

C2=4.47% EH C3=0.44717055% EH C4=40.43% SCI 2=35.45% SCI 3=2.

99% EDI 2A=46.87% SS 1=7.41% AH 1=76.38%

Total Fractional Values: EH A1=1.68 EH A2=17.83 EH A3=179.76 EH C1=2.21 EH C2=22.36 EH

C3=223.63 EH C4=2.47 SCI 2=2.82 SCI 3=33.49 EDI 2A=2.13 SS 1=13.

50 AH 1=1.31

Key to revisions: Not applicable

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 7 of 6

Key to abbreviations:

Abbreviation	Meaning		
Acute Tox. 4	Acute Toxicity - Oral Category 4		
Acute Tox. 5	Acute Toxicity - Oral Category 4 Acute Toxicity - Oral Category 5		
Acute Tox. 5	Acute Toxicity — Dermal Category 5		
Aguatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1		
'			
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2		
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3		
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1		
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2		
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3		
Asp. Tox 1	Aspiration Hazard Category 1		
Carc. 2	Carcinogenicity Category 2		
Eye Dam. 1	Eye Damage / Irritation Category 1		
Eye Irrit. 2A	Eye Damage / Irritation Category 2		
Eye Irrit. 2B	Eye Damage / Irritation Category 2B		
Flam. Liq. 3	Flammable Liquid, Hazard Category 3		
Flam. Liq. 4	Flammable Liquid, Hazard Category 4		
Flam. Sol. 2	Flammable Solid, Hazard Category 2		
H226	Flammable liquid and vapour.		
H227	Combustible liquid.		
H228	Flammable solid.		
H302	Harmful if swallowed.		
H303	May be harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H313	May be harmful in contact with skin.		
	Causes skin irritation.		
H315			
H316	Causes mild skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H320	Causes eye irritation.		
H341	Suspected of causing genetic defects (exposure route).		
H351	Suspected of causing cancer (exposure route).		
H400	Very toxic to aquatic life.		
H401	Toxic to aquatic life.		
H402	Harmful to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Muta. 2	Germ Cell Mutagenicity Category 2		
P202	Do not handle until all safety precautions have been read and understood.		
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.		
P233	Keep container tightly closed.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical, ventilating and lighting equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P261	Avoid breathing vapour or dust.		
P264	Wash hands and other contacted skin thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/eye protection/face protection.		
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.		
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.		

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with
water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Immediately call a POISON CENTER or doctor/physician.
Call a POISON CENTRE or doctor/physician if you feel unwell.
Rinse mouth.
Do not induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
Collect spillage.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to approved disposal site, in accordance with local regulations.
Dispose of contents/container to
Skin Corrosion / Irritation Category 2
Skin Corrosion / Irritation Category 3
Sensitization - Skin Category 1
Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.