

1. IDENTIFICATION

Product Name:	Sandalwood Fragrance
---------------	----------------------

Other Names:

Product Use Description: Fragra

Fragrance for Consumer Product.

Contact Information:	Organisation	Location	Telephone	Ask For
	Adelaide Moulding	7 Woodlands Terrace	08 8294 0451	SDS Officer
	and Candle Supplies	Edwardstown South		
		Australia 5039		
	Poisons Information		13 11 26	
	Centre			

2. HAZARD IDENTIFICATION

Classification of Substance of Mixture:	Flammable Liquid, Hazard Category 4 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Aspiration Hazard Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 H227, Combustible liquid. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H410, Very toxic to aquatic life with long lasting effects.
Signal Word:	Danger
Hazard Statements (s):	H227, Combustible liquid. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H410, Very toxic to aquatic life with long lasting effects.
Precautionary Statements(s):	 P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool. P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Hazard Pictogram(s):



Other hazards:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Name	CAS	%	GHS Classification
Diethyl phthalate	84-66-2	10-<20%	Skin Irrit. 3-Aquatic Acute 3;H316-H402
1-(1,2,3,4,5,6,7,8- Octahydro2,3,8,8-tetramethyl- 2-naphthalenyl)ethenone	54464-57-2	10-<20%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
Acetyl cedrene	32388-55-9	10-<20%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316-H317-H410
Methyl dihydrojasmonate	24851-98-7	5-<10%	Aquatic Acute 3;H402
Linalyl acetate	115-95-7	5-<10%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3; H227-H315-H319-H402
2-Ethyl-4-(2,2,3-trimethyl-3- cyclopenten-1-yl)-2-buten-1-ol	28219-61-6	5-<10%	Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 1;H319- H410
4-tert-Butylcyclohexyl acetate	32210-23-4	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303- H317-H401
Cedryl acetate	77-54-3	1-<5%	Skin Irrit. 3-Aquatic Acute 2-Aquatic Chronic 2;H316- H411
3,7-Dimethyl-1,6-nonadien-3- ol	10339-55-6	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H303-H315-H319-H402
Limonene	5989-27-5	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
Patchouli alcohol	5986-55-0	1-<5%	Skin Irrit. 3;H316
Cedrol	77-53-2	1-<5%	Flam. Liq. 4-Aquatic Acute 2-Aquatic Chronic 2;H227- H411
alpha-Cedrene	469-61-4	1-<5%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410
Dimyrcetol	18479-58-8	1-<5%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H303-H315-H319-H402
5-(2,2,3-Trimethyl-3- cyclopentenyl)-3- methylpentan2-o	65113-99-7	1-<5%	Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 2-Aquatic Chronic 2;H316-H319-H411
Isobornyl acetate	125-12-2	1-<5%	Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2;H227-H316- H401
alpha-Guaiene	3691-12-1	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1;H304-H315-H319
Benzyl benzoate	120-51-4	0.1-<1%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
Butylated hydroxytoluene	128-37-0	0.1-<1%	Aquatic Acute 1-Aquatic Chronic 1;H410

Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 2 of 6

alpha-iso-Methylionone	127-51-5	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2- Aquatic Chronic 2;H315-H317-H320-H411
Estragole	140-67-0	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Skin Irrit. 3-Skin Sens. 1BMuta. 2-Carc. 2-Aquatic Acute 3;H227-H302-H316- H317-H341-H351-H402
beta-Cedrene	546-28-1	0.1-<1%	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410
alpha Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H303-H304-H315-H317-H410
beta-Caryophyllene	87-44-5	0.1-<1%	Skin Irrit. 3-Skin Sens. 1B-Asp. Tox 1;H304-H316-H317
Cedrol methyl ether	19870-74-7	0.1-<1%	Skin Sens. 1-Aquatic Chronic 1;H317-H410
Camphene	79-92-5	0.1-<1%	Flam. Liq. 3-Flam. Sol. 2-Eye Irrit. 2B-Aquatic Acute 1- Aquatic Chronic 1;H226-H228-H320-H410
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
Sandalwood Firmenich 77125	3	0.1-<1%	Skin Irrit. 2-Aquatic Chronic 1;H315-H410

Substances with Community Not Applicable workplace exposure limits, not listed above:

4. FIRST AID MEASURES

Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye Exposure:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Skin Exposure:	IF ON SKIN: Wash with plenty of soap and water.
Ingestion:	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Most important symptoms and effects, both acute and delayed:	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Indication of any immediate medical attention and special treatment needed:	None expected, see Section 4.1 for further information.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Carbon dioxide, Dry chemical, Foam.
Special hazards arising from substance or mixture:	In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.
Advice for Fire Fighters:	In case of insufficient ventilation, wear suitable respiratory equipment.

6. ACCIDENTAL RELEASE MEASURES

Protective precautions,	Avoid inhalation.
protective equipment	Avoid contact with skin and eyes.
and emergency procedures:	See protective measures under Section 7 and 8.

Environmental Precautions: Keep away from drains, surface and ground water, and soil.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 3 of 6

Methods and Suitable materials	Remove ignition sources.	
for spill containment:	Provide adequate ventilation.	
	Avoid excessive inhalation of vapours.	
	Contain spillage immediately by use of sand or inert powder.	
	Dispose of according to local regulations.	

Reference to other sections: Also refer to sections 8 and 13.

7. HANDLING AND STORAGE

Precautions for safe handling:	Keep away from heat, sparks, open flames and hot surfaces No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.
Conditions for safe storage, including any incompatibilities:	Store in a well-ventilated place. Keep container tightly closed. To prevent congealing and denaturing it is recommended that goods are stored at temperatures between 15 - 30°C. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
Specific end use(s):	Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits:	Not Applicable	
Exposure Controls		
Eye / Skin Protection	Wear protective gloves/eye protection/face protection	
Respiratory Protection	Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.	

Also refer to Sections 2 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Faint Yellow, Pale Straw
Odour:	Fresh, Floral, Woody
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 90 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability	Product does not present an explosion hazard
or explosive limits:	
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	0.9652 - 0.9792
Solubility(ies):	Not determined
Partition coefficient:	Not determined
n-octanol/water:	Not determined

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986

Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
Other information:	None available

10. STABILITY AND REACTIVITY

Reactivity Hazards:	Presents no significant reactivity hazard, by itself or in contact with water.
Chemical Stability:	Good stability under normal storage conditions.
Hazardous Reactions:	Not expected under normal conditions of use.
Conditions to Avoid:	Avoid extreme heat.
Incompatibles:	Avoid contact with strong acids, alkalis, or oxidising agents.
Hazardous Decomposition Products:	Not expected.

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Acute Toxicity: Skin corrosion/irritation:	Based on available data the classification criteria are not met. Acute Toxicity Oral: >5000 Acute Toxicity Dermal: Not Applicable Acute Toxicity Inhalation: Not Available Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture:

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
3,7-Dimethyl-1,6-	10339-55-6	5000	Not available	Not available	Not available
nonadien-3-ol					
4-tert-	32210-23-4	3370	Not available	Not available	Not available
Butylcyclohexyl					
Acetate					
Dimyrcetol	18479-58-8	3600	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information

12. ECOLOGICAL INFORMATION

Toxicity:

Very toxic to aquatic life with long lasting effects.

Persistence and degradability: Not Available

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986 Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 5 of 6

Bioaccumulative potential:	Not Available
Mobility in soil:	Not Available
Other Adverse Effects:	Not Available

13. DISPOSAL CONSIDERATIONS

Disposal:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

	UN Number	UN Proper Shipping Name	Transport	Sub Risk	Packing
			hazard		Group
			class(es)		
UN Model	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	Ш
Regulations		SUBSTANCE, LIQUID, N.O.S. (alpha Cedrene, 1-			
		(1,2,3,4,5,6,7,8-Octahydro2,3,8,8-tetramethyl-2-			
		naphthalenyl)ethanone)			
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	Ш
		SUBSTANCE, LIQUID, N.O.S. (alphaCedrene, 1-			
		(1,2,3,4,5,6,7,8-Octahydro2,3,8,8-tetramethyl-2-			
		naphthalenyl)ethanone) MARINE POLLUTANT			
ADR,RID,AND	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	Ш
		SUBSTANCE, LIQUID, N.O.S. (alphaCedrene, 1-			
		(1,2,3,4,5,6,7,8-Octahydro2,3,8,8-tetramethyl-2-			
		naphthalenyl)ethanone)			
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS	9	-	III
		SUBSTANCE, LIQUID, N.O.S. (alphaCedrene, 1-			
		(1,2,3,4,5,6,7,8-Octahydro2,3,8,8-tetramethyl-2-			
		naphthalenyl)ethanone)			

Environmental Hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

Special Precautions for user: None additional

Transport in bulk according to Not applicable Annex II of MARPOL73/78 and the IBC Code:

15. REGULATORY INFORMATION

Regulatory Information: None additional

16. OTHER INFORMATION

Concentration % Limits:	EH A1=59.41% EH A2=5.61% EH A3=0.55630572% EH C1=45.25% EH C2=4.47% EH C3=0.44717055% EH C4=40.43% SCI 2=35.45% SCI 3=2. 99% EDI 2A=46.87% SS 1=7.41% AH 1=76.38%
Total Fractional Values:	EH A1=1.68 EH A2=17.83 EH A3=179.76 EH C1=2.21 EH C2=22.36 EH C3=223.63 EH C4=2.47 SCI 2=2.82 SCI 3=33.49 EDI 2A=2.13 SS 1=13. 50 AH 1=1.31
Key to revisions:	Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity – Oral Category 5
Acute Tox. 5	Acute Toxicity – Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Asp. Tox 1	Aspiration Hazard Category 1
Carc. 2	Carcinogenicity Category 2
Eye Irrit. 2A	Eye Damage / Irritation Category 2
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye uninger
H320	Causes eye irritation.
H341	Suspected of causing genetic defects (exposure route).
H351	Suspected of causing genetic defects (exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Muta. 2	Germ Cell Mutagenicity Category 2
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P241	Use only non-sparking tools.
P242	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P261 P264	Wash hands and other contacted skin thoroughly after handling.
P264 P270	Do not eat, drink or smoke when using this product.
P270	Contaminated work clothing should not be allowed out of the workplace.
P272 P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with
D205/251/220	water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039

ABN: 85 765 232 986

Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 7 of 6

P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
P501	Dispose of contents/container to
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.