

Material: 60005420 ELASTOSIL® COLOUR PASTE FL

DARK BLUE RAL 5010

Version: 1.4 (AU) Date of print: 22.07.2015 Date of last alteration: 16.11.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial product name: ELASTOSIL® COLOUR PASTE FL

DARK BLUE RAL 5010

1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial.

Use of substance / preparation: Raw material for: elastomer products .

1.3 Details of the supplier of the safety data sheet

Manufacturer: Wacker Chemie AG
Street/POB-No.: Hanns-Seidel-Platz 4
State/postal code/city: D 81737 München
Telephone: +49 89 6279-0
Telefax: +49 89 6279-1770
Distributor: Wacker Chemie AG

Care of Wacker Chemicals Australia Pty Ltd

Street/POB-No.:

Unit 1 / 35 Dunlop Road
State/postal code/city:

Mulgrave, Victoria 3170
Helphone:
Helfax:
Helfax:
Hold 3 9541 8989

Information about the Safety Data Sheet: Telephone +49 8677 83-4888 Telefax +49 8677 886-9722

eMail WLCP-MSDS@wacker.com

eMail WLCP-MSDS@wacker.com

1.4 Emergency telephone number

Emergency information: Regulatory Compliance Manager +61 3 9541 8900 Emergency response service only (24h): Orica Australia SH&E Shared Services 1800 033 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

NON-HAZARDOUS SUBSTANCE (according to the criteria of NOHSC). NON-DANGEROUS GOOD (according to the ADG Code).

Classification (67/548/EEC, 1999/45/EC):

R-Phrase	Description
R-	-

This product is not a dangerous preparation within the meaning of Directive 1999/45/EC.

2.2 Label elements

Labelling (67/548/EEC, 1999/45/EC):

R-Phrase	Description
R-	-
S-Phrase	Description
S-	-

2.3 Other hazards

No data are available.



Material: 60005420 ELASTOSIL® COLOUR PASTE FL DARK BLUE RAL 5010

Version: 1.4 (AU) Date of print: 22.07.2015 Date of last alteration: 16.11.2012

SECTION 3: Composition/information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

3.2.1 Chemical characterization (preparation)

Polydimethylsiloxane + pigment

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

After inhalation:

Material cannot be inhaled under normal conditions.

After contact with the skin:

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Advice for the doctor:

No data are available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

water spray, extinguishing powder, alcohol-resistant foam, carbon dioxide, sand.

Extinguishing media which must not be used for safety reasons:

water jet .

5.2 Special hazards arising from the substance or mixture

-

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Prevent material from entering sewers or surface waters.



Material: 60005420 ELASTOSIL® COLOUR PASTE FL DARK BLUE RAL 5010

Version: 1.4 (AU) Date of print: 22.07.2015 Date of last alteration: 16.11.2012

6.3 Methods and material for containment and cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

6.4 Reference to other sections

Relevant information in other sections have to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

General information:

Always stir well before use.

Precautions for safe handling:

No special protective measures required.

Precautions against fire and explosion:

No special precautions against fire and explosion required.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

none known

Advice for storage of incompatible materials:

not applicable

Further information for storage:

Keep container tightly closed. Store in a dry and cool place.

7.3 Specific end use(s)

No data are available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Maximum airborne concentrations at the workplace:

not applicable

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling.

Personal protection equipment:

Respiratory protection

not required.

Hand protection

Recommendation: Protective gloves made of butyl rubber. Gloves suitable for up to 60 minutes' use. The selection of appropriate gloves not only depends on the material, but also on other quality characteristics, and may vary depending on the manufacturer. Please observe information from your glove supplier in terms of permeability and breakthrough time.

Eye protection

Recommendation: protective goggles .

8.2.2 Exposure to the environment limited and controlled

_



Material: 60005420 ELASTOSIL® COLOUR PASTE FL DARK BLUE RAL 5010

Version: 1.4 (AU) Date of print: 22.07.2015 Date of last alteration: 16.11.2012

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information:

Important information about the protection of health, safety and the environment:

Property:	Value:	Method:
Melting point / melting range	not applicable	
Boiling point / boiling range	not applicable	
Flash point	> 270 °C	(DIN 51376)
Ignition temperature	> 250 °C	(DIN 51794)
Lower explosion limit (LEL)	not applicable	
Upper explosion limit (UEL)	not applicable	
Vapour pressure:	not determined	
Density:	approx. 1.43 g/cm³ at 23 °C	(DIN 53479)
Water solubility / miscibility:	•	
pH-Value:	not applicable	
Viscosity (dynamic)	100000 mPa.s	

9.2 Other information

Thermal decomposition > 250 °C

SECTION 10: Stability and reactivity

10.1 - 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

none known

10.5 Incompatible materials

none known

10.6 Hazardous decomposition products

If stored and handled properly: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 $^{\circ}$ C (302 $^{\circ}$ F) through oxidation.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

11.1.1 Acute toxicity

Assessment:

Based on the available data acute toxic effects are not expected after single oral exposure. Based on the available data acute toxic effects are not expected after single dermal exposure.

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
oral	LD ₅₀ : > 2000 mg/kg		Conclusion by analogy
dermal	LD ₅₀ : > 2000 mg/kg	rat	Conclusion by analogy



Material: 60005420 ELASTOSIL® COLOUR PASTE FL

DARK BLUE RAL 5010

Version: 1.4 (AU)

Date of print: 22.07.2015

Date of last alteration: 16.11.2012

11.1.2 Skin corrosion/irritation

Assessment:

Based on the available data a clinically relevant skin irritation hazard is not expected.

Product details:

Result/E	ffect	Species/Test system	Source
not irrita	ting	rabbit	Conclusion by
			analogy

11.1.3 Serious eye damage / eye irritation

Assessment:

Based on the available data a clinically relevant eye irritation hazard is not expected.

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by
		analogy

11.1.4 Respiratory or skin sensitization

Assessment:

Based on the available data a sensitization reaction is not expected from this product.

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
dermal	not sensitizing	guinea-pig; Bühler	Conclusion by
			analogy

11.1.5 Germ cell mutagenicity

Assessment:

Based on known data a significant mutagenic potential may be excluded.

Product details:

Result/Effect	Species/Test system	Source
negative	mutation assay (in vitro)	Conclusion by
	bacterial cells	analogy
		OECD 471

11.1.6 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.



Material: 60005420 ELASTOSIL® COLOUR PASTE FL

DARK BLUE RAL 5010

Version: 1.4 (AU)

Date of print: 22.07.2015

Date of last alteration: 16.11.2012

11.1.10 Aspiration hazard

Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

Evaluation in analogy to similar product. No expected damaging effects to aquatic organisms. According to current knowledge adverse effects on water purification plants are not expected.

12.2 Persistence and degradability

Assessment:

Biologically not degradable. Separation by sedimentation.

12.3 Bioaccumulative potential

Assessment:

Polymer component: No adverse effects expected.

12.4 Mobility in soil

Assessment:

Insoluble in water. No adverse effects expected.

12.5 Other adverse effects

none known

12.6 Additional information

Easily separable from water by filtration.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation:

Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

13.1.2 Uncleaned packaging

Recommendation:

Containers should be completely emptied before recycling as specified in government regulations. Empty containers should be sent to an approved recycling facility.

SECTION 14: Transport information

14.1 - 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Land transport ADG Code (road and rail)::

Valuation Not regulated for transport

Transport by sea IMDG-Code:

Valuation Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation: Not regulated for transport



Material: 60005420 ELASTOSIL® COLOUR PASTE FL DARK BLUE RAL 5010

Version: 1.4 (AU) Date of print: 22.07.2015 Date of last alteration: 16.11.2012

14.5 Environmental hazards

Hazardous to the environment: no

14.6 Special precautions for user

Relevant information in other sections have to be considered.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

15.1.1 Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) Australia:

Poisons Schedule number:

No Poisons Schedule number allocated.

15.2 Other international regulations

Details of international registration status:

Listed on or in accordance with the following inventories:

EINECS - Europe

ECL - Korea

ENCS - Japan

AICS - Australia

IECSC - China

DSL - Canada

PICCS - Philippines

TSCA - USA

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

16.2 Further information:

Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

16.3 Glossary of Terms:

CAS No. - Chemical Abstracts Service Registry Number

UN No. - United Nations Dangerous Goods Number

ADG Code - Australian Dangerous Goods Code for the Transport of Dangerous Goods by Road & Rail

IMDG Code - International Maritime Dangerous Goods Code

IATA Regs - International Air Transport Association (IATA) Dangerous Goods Regulations

NOHSC - Australian National Occupational Health and Safety Commission (Note: NOHSC documents are now published by the ASCC)

Page: 7/8



Material: 60005420 ELASTOSIL® COLOUR PASTE FL

DARK BLUE RAL 5010

Version: 1.4 (AU) Date of print: 22.07.2015 Date of last alteration: 16.11.2012

ASCC - Australian Safety & Compensation Council OEL - Occupational exposure limit in Great Britain AGW - Occupational exposure limit in Germany ES_AU - Occupational exposure limit in Australia

- End of Safety Data Sheet -