

1. IDENTIFICATION

Product Name: Snowflakes Sparkle Fragrance

Other Names:

Product Use Description: Fragrance for Consumer Product.

Contact Information:	Organisation	Location	Telephone	Ask For
	Adelaide Moulding and Candle Supplies	7 Woodlands Terrace Edwardstown, South Australia, 5039	08 8294 0451	SDS Officer
	Poisons Information Centre		13 11 26	

2. HAZARD IDENTIFICATION

Classification of Substance: Flammable Liquid, Hazard Category 4
Acute Toxicity - Oral Category 5
Skin Corrosion / Irritation Category 3
Sensitization - Skin Category 1
Eye Irritation Category 2
Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 1
H227, Combustible liquid.
H303, May be harmful if swallowed.
H316, Causes mild skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H410, Very toxic to aquatic life with long lasting effects.
H411, Toxic to aquatic life with long lasting effects.

Signal Word: WARNING

Hazard Statements (s): H227, Combustible liquid.
H303, May be harmful if swallowed.
H316, Causes mild skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H410, Very toxic to aquatic life with long lasting effects.
H411, Toxic to aquatic life with long lasting effects.

Precautionary Statements(s): P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P261, Avoid breathing vapour or dust.
P272, Contaminated work clothing should not be allowed out of the workplace.
P273, Avoid release to the environment.
P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P312, Call a POISON CENTRE or doctor/physician if you feel unwell.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P363, Wash contaminated clothing before reuse.
P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391, Collect spillage.
P403/235, Store in a well-ventilated place. Keep cool.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



Other Hazards:

Hydrocarbon Concentration %: 0.0000%

3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixtures:**

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4	50-100%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
1,3,4,6,7,8-Hexahydro4,6,6,7,8,8-hexamethylcyclopenta-gamma2-benzopyran	1222-05-5	20-<50%	Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316-H410
cis-2-tert-Butylcyclohexyl acetate	20298-69-5	>= 10 - < 20%	Aquatic Chronic 2; H411
Diethyl malonate	105-53-3	>= 1 - < 10%	Eye Irrit. 2; H319
Linalyl acetate	115-95-7	>= 1 - < 10%	Skin Irrit. 2; H315; Eye Irrit. 2; H319; Skin Sens. 1B; H317
2-Ethylhexyl salicylate	118-60-5	>= 2,5 - < 10%	Aquatic Chronic 1; H410; M-Factor (Chronic aquatic toxicity): 1
Ethyl hexanoate	123-66-0	>= 1 - < 10%	Flam. Liq. 3; H226 ; Skin Irrit. 2; H315
alpha-iso-Methylionone	127-51-5	1-<5%	Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H315-H317-H320-H411
Cedrol methyl ether	19870-74-7	1-<5%	Skin Sens. 1-Aquatic Chronic 1;H317-H410
beta-Ionone	14901-07-6	1-<5%	Skin Irrit. 3-Aquatic Acute 2-Aquatic Chronic 2;H316-H411
1-(1,2,3,4,5,6,7,8-Octahydro2,3,8,8-tetramethyl-2naphthalenyl)ethanone	54464-57-2	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410
Ethyl maltol	4940-11-8	1-<5%	Acute Tox. 4;H302
Diethyl phthalate	84-66-2	1-<5%	Skin Irrit. 3-Aquatic Acute 3;H316-H402
p-Methoxybenzaldehyde	123-11-5	1-<5%	Acute Tox. 5-Aquatic Acute 3;H303-H402
Vanillin	121-33-5	1-<5%	Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H319-H402
Butylated hydroxytoluene	128-37-0	1-<5%	Aquatic Acute 1-Aquatic Chronic 1;H410
(R)-p-mentha-1,8-diene; d-limonene	5989-27-5	>= 1 - < 2,5%	Flam. Liq. 3; H226 ; Skin Irrit. 2; H315 ; Skin Sens. 1B; H317 ; Asp. Tox. 1; H304 ; Aquatic Acute 1; H400; Aquatic Chronic 1; H410
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate	68912-13-0	>= 1 - < 2,5%	Aquatic Chronic 2; H411
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	79-77-6	>= 1 - < 2,5%	Aquatic Chronic 2; H411
Benzyl salicylate	118-58-1	>= 1 - < 2,5%	Eye Irrit. 2; H319 ; Skin Sens. 1B; H317 ; Aquatic Chronic 3; H412
Benzyl acetate	140-11-4	>= 1 - < 2,5%	Aquatic Chronic 3; H412
Allyl hexanoate	123-68-2	>= 0,25 - < 1%	Acute Tox. 3; H301; Acute Tox. 3; H331 Acute Tox. 3; H311; Aquatic Acute 1; H400 Aquatic Chronic 3; H412; M-Factor (Acute aquatic toxicity): 1
Cyclohexanepropanoic acid, 2-propen-1-yl ester	2705-87-5	>= 0,25 - < 1%	Acute Tox. 4; H302 ; Acute Tox. 4; H332 Acute Tox. 4; H312 ; Skin Sens. 1; H317

			Aquatic Acute 1; H400 ; Aquatic Chronic 1; H410; M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1
3-p-Cumenyl-2-methylpropionaldehyde	103-95-7	>= 0,25 - < 1%	Skin Irrit. 2; H315 ; Skin Sens. 1B; H317 Aquatic Chronic 3; H412
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6 68039-48-5	>= 0,25 - < 1%	Skin Irrit. 2; H315 ; Skin Sens. 1; H317 Aquatic Chronic 2; H411
4-Methyl-3-decen-5-ol	81782-77-6	>= 0,25 - < 1%	Aquatic Acute 1; H400; Aquatic Chronic 2; H411; M-Factor (Acute aquatic toxicity): 1
Terpineol	8000-41-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H303-H315-H319-H402
Coumarin	91-64-5	0.1-<1%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-H317-H402
Allyl (3-methylbutoxy)acetate	67634-00-8	0.1-<1%	Acute Tox. 4; H302 ; Acute Tox. 2; H330 Skin Irrit. 2; H315
Citronellol	106-22-9	0.1-<1%	Skin Irrit. 2; H315 ; Eye Irrit. 2; H319 Skin Sens. 1B; H317
4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde	31906-04-4	< 0,1%	Skin Sens. 1A; H317

Substances with Community workplace exposure limits, not listed above:

Name	CAS	%
(2-Methoxymethylethoxy) propanol	34590-94-8	>= 30 - < 50

4. FIRST AID MEASURES

General advice:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
Protection of first aiders:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
Skin Contact:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
Eye Contact:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
Swallowed:	Rinse mouth with water. Keep respiratory tract clear. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects:	May cause an allergic skin reaction. Causes serious eye irritation. First aider needs to protect himself.
Indication of any immediate Medical attention and special treatment needed:	The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. There is no specific antidote available.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Carbon dioxide, dry chemical, foam.
Special hazards arising from the substance or mixture:	In case of fire, the following can be released: Carbon monoxide, Unidentified organic compounds.

Advice for Fire Fighters: In case of insufficient ventilation, wear suitable respiratory equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment: Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Environmental Precautions: Keep away from drains, surface and ground water, and soil.

Methods and Suitable materials for containment and cleaning up: Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

Reference to other sections: Also refer to sections 8 and 13.

7. HANDLING AND STORAGE

Safe Handling Precautions: Keep away from heat, sparks, open flames, and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink, or smoke when using this product.

Storage conditions: including incompatibilities: Store in a well-ventilated place. Keep container tightly closed. To prevent congealing and denaturing it is recommended that goods are stored at temperatures between 15-30 °C. Ground/bond container and receiving equipment. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Specific end use(s): Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits: Not Applicable

Exposure Controls

Eye / Skin Protection Wear protective gloves/eye protection/face protection.

Respiratory Protection Under normal conditions of use and where adequate ventilation is available to prevent build-up of excessive vapour, this material should not require special engineering control. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: 2) Increase ventilation of the area with local exhaust ventilation. B) Personnel can use and approved, appropriately fitted respiratory with organic vapours cartridge or canister and particulate filters. C) Use closed system from transferring and processing this material. Also refer to Sections 2 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colourless - Faint Yellow
Aroma/Odour: Sweet, Vanilla, Cassis, Orange Zest
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined
Flash point: > 90 °C
Evaporation rate: Not determined
Flammability (solid, gas): Not determined
Upper/lower flammability or explosive limits: Product does not present an explosion hazard
Vapour pressure: Not determined
Vapour density: Not determined
Relative density: 1.0020 - 1.1420
Solubility(ies): Not determined

Partition coefficient:	
n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected
Other information:	None available

10. STABILITY AND REACTIVITY

Reactivity Hazards:	Presents no significant reactivity hazard, by itself or in contact with water.
Chemical Stability:	Good stability under normal storage conditions.
Hazardous Reactions:	Not expected under normal conditions of use.
Conditions to Avoid:	Avoid extreme heat.
Incompatibles:	Avoid contact with strong acids, alkalis, or oxidising agents.
Hazardous Decomposition Products:	Not expected.

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Acute Toxicity:	Acute Toxicity - Oral Category 5
Acute Toxicity Oral:	2674
Acute Toxicity Dermal:	>5000
Acute Toxicity Inhalation:	Not Available
Skin corrosion/irritation :	Skin Corrosion / Irritation Category 3
Serious eye damage/irritation:	Based on available data the classification criteria are not met
Respiratory or skin sensitisation:	Sensitization – Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are note met.
Carcinogenicity:	Based on available data the classification criteria are not met
Reproductive toxicity:	Based on available data the classification criteria are note met.
STOT – single exposure:	Based on available data the classification criteria are note met.
STOT- repeated exposure:	Based on available data the classification criteria are note met.
Aspiration hazard:	Based on available data the classification criteria are not met

Information about hazardous Ingredients in the Mixture:

Ingredient	CAS	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl benzoate	120-51-4	1500	4000	Not Available	Not Available
Ethyl maltol	4940-11-8	1200	Not available	Not available	Not available
Vanillin	121-33-5	3500	Not available	Not available	Not available
pMethoxybenzaldehyde	123-11-5	3210	Not available	Not available	Not available

12. ECOLOGICAL INFORMATION

Toxicity:	Very toxic to aquatic life with long lasting effects.
Persistence and degradability:	Not Available.
Bioaccumulative potential:	Not Available.
Mobility in soil:	Not Available.
Other Adverse Effects:	Not Available

Adelaide Moulding and Candle Supplies
7 Woodlands Terrace
Edwardstown SA 5039
ABN: 85 765 232 986

Phone: +61 8 8294 0451
Email: admin@amcsupplies.com.au
Web: www.amcsupplies.com.au
Page 5 of 6

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

UN Number: UN3082

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, Benzyl benzoate)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, Benzyl benzoate) MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, Benzyl benzoate)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran, Benzyl benzoate)

Transport Hazard Class(es): 9

Sub Risk: -

Packing Group: III

Environmental Hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code..

Special Precautions for user: None additional

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not Applicable

15. REGULATORY INFORMATION

None additional

16. OTHER INFORMATION

Concentration % Limits: SCI 3=10.16% SS 1=28.57% EH A1=31.37% EH A2=3.10% EH A3=0. 31014672% EH C1=77.64% EH C2=6.56% EH C3=0.65634025% EH C4=27.44%

Total Fractional Values: SCI 3=9.84 SS 1=3.50 EH A1=3.19 EH A2=32.23 EH A3=322.43 EH C1=1.29 EH C2=15.24 EH C3=152.36 EH C4=3.64

Key to revisions: Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Acute Tox. 5	Acute Toxicity - Oral Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3

Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is

not intended for quality assurance purposes.