

## 1. IDENTIFICATION

**Commercial Name:** Sodium bicarbonate  
**Other Names:** Baking soda; Bicarbonate of soda; Sodium hydrogen carbonate  
**Product Use:** Food/feed applications; Industrial use.

### Contact Information:

Organisation	Location	Telephone	Ask For
Adelaide Moulding and Candle Supplies	7 Woodlands Terrace Edwardstown South Australia 5039	08 8294 0451	SDS Officer
Poisons Information Centre		13 11 26	

## 2. HAZARD IDENTIFICATION

**Poison Schedule:** Not scheduled

### Globally Harmonised System:

**Hazard Classification:** NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS).

**Signal Words:** None

### National Transport

**Commission Australia:** Australia Code for the transport of dangerous goods by Road & Rail (ADG Code).

### Dangerous Goods

**Classification:** NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixtures:

CAS Number	Chemical Entity	Formula	Proportion
144-55-8	Sodium bicarbonate	NaHCO <sub>3</sub>	<=100 %

## 4. FIRST AID MEASURES

**Swallowed:** IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Get medical advice/attention if a large amount is swallowed or if you feel unwell. Never give anything by mouth to an unconscious person.

**Skin:** IF ON SKIN: Remove contaminated clothing and shoes. Flush skin with running water for several minutes. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse.

**Eye:** IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for 10 – 15 minutes. If eye irritation persists, get medical advice/attention.

**Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Apply resuscitation if victim is not breathing; Administer oxygen if breathing is difficult.

**Advice to Doctor:** Treat symptomatically

### Medical Conditions

**Aggravated by Exposure:** No information available.

## 5. FIRE FIGHTING MEASURES

<b>General Measures:</b>	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
<b>Flammability Conditions:</b>	Non-combustible; Material does not burn.
<b>Extinguishing Media:</b>	If material is involved in a fire, use extinguishing media that are appropriate to local circumstances and the surrounding environment.
<b>Fire and Explosion Hazard:</b>	Decomposes on heating, emitting toxic fumes.
<b>Hazardous Products of Combustion:</b>	Fire or heat may produce irritating and/or toxic fumes, including oxides of Carbon, oxides of Sodium.
<b>Special Fire Fighting Instructions:</b>	Contain runoff from fire control or dilution water - Runoff may pollute waterways.
<b>Personal Protective Equipment:</b>	Wear self-contained breathing apparatus (SCBA) in combination with normal firefighting clothing (full fire kit).
<b>Flash Point:</b>	No Data Available
<b>Lower Explosion:</b>	No Data Available
<b>Upper Explosion:</b>	No Data Available
<b>Auto Ignition Temperature:</b>	No Data Available
<b>Hazchem Code:</b>	No Data Available

## 6. ACCIDENTAL RELEASE MEASURES

<b>General Response Procedure:</b>	Ensure adequate ventilation. Do not touch or walk-through spilled material - slipping hazard. Avoid dust formation. Avoid breathing dust and contact with eyes, skin, and clothing.
<b>Clean Up Procedures:</b>	Collect material (sweep up, shovel) and place it in suitable, properly labelled containers for recovery or disposal (see SECTION 13).
<b>Containment:</b>	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas.
<b>Decontamination:</b>	No information available.
<b>Environmental Precautionary Measures:</b>	Prevent entry into drains and waterways.
<b>Evacuation Criteria:</b>	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
<b>Personal Precautionary Measures:</b>	Use personal protective equipment as required (see SECTION 8).

## 7. HANDLING AND STORAGE

<b>Handling:</b>	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation. Avoid breathing dust and contact with eyes, skin, and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). To avoid thermal decomposition, do not overheat.
<b>Storage:</b>	Store in a cool, dry, and well-ventilated place, out of direct sunlight. Keep containers tightly closed when not in use. Protect from moisture. Keep away from incompatible materials (see SECTION 10).
<b>Other Information:</b>	Keep in the original, properly labelled container.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>General:</b>	No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards: <ul style="list-style-type: none"><li>- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m<sup>3</sup> (measured as inhalable dust).</li><li>- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m<sup>3</sup>; TWA = 3 mg/m<sup>3</sup> (respirable dust).</li></ul>
<b>Exposure Limits:</b>	No Data Available
<b>Biological Limits:</b>	No information available.
<b>Engineering Measures:</b>	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
<b>Personal Protection Equipment</b>	
<b>Respiratory protection:</b>	Respiratory protection: Wear respiratory protection in case of inadequate ventilation or if an inhalation risk exists. <b>Recommended:</b> Dust mask/particulate filter respirator (refer to AS/NZS 1715 & 1716). Eye/face protection: Wear appropriate eye protection to avoid eye contact. <b>Recommended:</b> Safety glasses. Hand protection: Handle with gloves. <b>Recommended:</b> Impervious gloves. Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. <b>Recommended:</b> Overalls, safety shoes.
<b>Special Hazards Precautions:</b>	No information available.
<b>Work Hygienic Practices:</b>	Do not eat, drink, or smoke when using this product. Wash thoroughly after handling. Take off contaminated clothing and wash before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Solid
<b>Appearance:</b>	Crystalline powder or granules
<b>Odour:</b>	Odourless
<b>Colour:</b>	White
<b>pH:</b>	8.0 - 9.0 (saturated solution)
<b>Vapour Pressure:</b>	No Data Available
<b>Relative Vapour Density:</b>	No Data Available
<b>Boiling Point:</b>	No Data Available
<b>Melting Point:</b>	300 °C
<b>Freezing Point:</b>	No Data Available
<b>Solubility:</b>	Soluble in water
<b>Specific Gravity:</b>	2.1 - 2.2
<b>Flash Point:</b>	No Data Available
<b>Auto Ignition Temp:</b>	No Data Available
<b>Evaporation Rate:</b>	No Data Available
<b>Bulk Density:</b>	No Data Available
<b>Corrosion Rate:</b>	No Data Available
<b>Decomposition Temperature:</b>	>50 °C
<b>Density:</b>	2.1 - 2.2 g/cm <sup>3</sup>
<b>Specific Heat:</b>	No Data Available
<b>Molecular Weight:</b>	No Data Available
<b>Net Propellant Weight:</b>	No Data Available
<b>Octanol Water Coefficient:</b>	No Data Available
<b>Particle Size:</b>	No Data Available
<b>Partition Coefficient:</b>	No Data Available
<b>Saturated Vapour Concentration:</b>	No Data Available
<b>Vapour Temperature:</b>	No Data Available
<b>Viscosity:</b>	No Data Available
<b>Volatile Percent:</b>	No Data Available

<b>VOC Volume:</b>	No Data Available
<b>Additional Characteristics:</b>	No information available.
<b>Potential for Dust Explosion:</b>	No information available.
<b>Fast or Intensely Burning Characteristics:</b>	No information available.
<b>Flame Propagation or Burning Rate of Solid Materials:</b>	No information available.
<b>Non-Flammables That Could Contribute Unusual Hazards to a Fire:</b>	No information available.
<b>Properties That May Initiate or Contribute to Fire Intensity:</b>	Non-combustible; Material does not burn.
<b>Reactions That Release Gases or Vapours:</b>	Decomposes on heating, emitting toxic fumes, including oxides of Carbon, oxides of Sodium.
<b>Release of Invisible Flammable Vapours and Gases:</b>	No information available.

## 10. STABILITY AND REACTIVITY

<b>General Information:</b>	No information available.
<b>Chemical Stability:</b>	Stable under recommended storage conditions.
<b>Conditions to Avoid:</b>	Avoid dust formation. Protect from moisture. To avoid thermal decomposition, do not overheat.
<b>Materials to Avoid:</b>	Incompatible/reactive with acids, strong oxidising agents.
<b>Hazardous Decomposition Products:</b>	Decomposes on heating, emitting toxic fumes, including oxides of Carbon, oxides of Sodium.
<b>Hazardous Polymerisation:</b>	No information available.

## 11. TOXICOLOGICAL INFORMATION

<b>General Information:</b>	Information on possible routes of exposure: Ingestion: No adverse effects expected; Swallowing large amounts may cause gastrointestinal disturbance, nausea, and vomiting. Eye contact: Causes mild eye irritation. Skin contact: Causes mild skin irritation. Inhalation: Exposure to dust may cause respiratory irritation. Chronic effects: No information available.
<b>Carcinogen Category:</b>	None

## 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity:</b>	Aquatic toxicity: - Acute LC50, Fish (Rainbow trout ( <i>Oncorhynchus mykiss</i> )): 7,700 mg/l (96 h) [Flow-through]. - Acute NOEC, Fish (Rainbow trout ( <i>Oncorhynchus mykiss</i> )): 2,300 mg/l (96 h) [Flow-through]. - Acute LC50, Fish (Bluegill sunfish ( <i>Lepomis macrochirus</i> )): 7,100 mg/l (96 h) [Flow-through]. - Acute NOEC, Fish (Bluegill sunfish ( <i>Lepomis macrochirus</i> )): 5,200 mg/l (96 h) [Flow-through]. - Acute LC50, Invertebrates ( <i>Daphnia magna</i> ): 4,100 mg/l (48 h) [Flow-through]. - Acute NOEC, Invertebrates ( <i>Daphnia magna</i> ): 3,100 mg/l (48 h) [Flow-through]. - Chronic NOEC, Invertebrates ( <i>Daphnia magna</i> ): >576 mg/l (21 d).
<b>Persistence/Degradability:</b>	Biodegradation: - The methods for determining biological degradability are not applicable to inorganic substances. Abiotic degradation (water): - Hydrolyses: acid/base equilibrium as a function of pH; Degradation products: carbonic acid/bicarbonate/carbonate.
<b>Mobility:</b>	High mobility (water, soil/sediments).
<b>Environmental Fate:</b>	Prevent entry into drains and waterways.
<b>Bioaccumulation Potential:</b>	Does not bioaccumulate.

**Environmental Impact:** No Data Available

### 13. DISPOSAL CONSIDERATIONS

**General Information** If recycling is not practicable, dispose of via a licensed disposal company and in accordance with local/regional/national regulations.

**Special Precautions for Land Fill:** No information available.

### 14. TRANSPORT INFORMATION

#### Land Transport (Australia)

##### ADG Code

**Proper Shipping Name:** Sodium bicarbonate  
**Class:** No Data Available  
**Subsidiary Risk(s):** No Data Available  
**UN Number:** No Data Available  
**Hazchem:** No Data Available  
**Pack Group:** No Data Available  
**Special Provision:** No Data Available  
**Comments:** NON-DANGEROUS GOODS: Not regulated for LAND transport.

#### Sea Transport

##### IMDG Code

**Proper Shipping Name:** Sodium bicarbonate  
**Class:** No Data Available  
**Subsidiary Risk(s):** No Data Available  
**UN Number:** No Data Available  
**Hazchem:** No Data Available  
**Pack Group:** No Data Available  
**Special Provision:** No Data Available  
**EMS:** No Data Available  
**Marine Pollutant:** No  
**Comments:** NON-DANGEROUS GOODS: Not regulated for SEA transport.

#### Air Transport

##### IATA DGR

**Proper Shipping Name:** Sodium bicarbonate  
**Class:** No Data Available  
**Subsidiary Risk(s):** No Data Available  
**UN Number:** No Data Available  
**Hazchem:** No Data Available  
**Pack Group:** No Data Available  
**Special Provision:** No Data Available  
**Comments:** NON-DANGEROUS GOODS: Not regulated for AIR transport.

#### National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

**Dangerous Goods Classification:** NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

### 15. REGULATORY INFORMATION

**General Information:** No Data Available  
**Poisons Schedule (Aust):** Not Scheduled  
**Inventory Status:** Australia (AICS)

## 16. OTHER INFORMATION

### Related Product Codes:

SOBICA0300, SOBICA0400, SOBICA0500, SOBICA0600, SOBICA0700, SOBICA0800, SOBICA0900, SOBICA1000, SOBICA1001, SOBICA1002, SOBICA1003, SOBICA1004, SOBICA1005, SOBICA1006, SOBICA1007, SOBICA1008, SOBICA1009, SOBICA1010, SOBICA1011, SOBICA1012, SOBICA1013, SOBICA1014, SOBICA1015, SOBICA1016, SOBICA1100, SOBICA1200, SOBICA1300, SOBICA1400, SOBICA1500, SOBICA1501, SOBICA1502, SOBICA1503, SOBICA1504, SOBICA1550, SOBICA1600, SOBICA1700, SOBICA1717, SOBICA1800, SOBICA1801, SOBICA1802, SOBICA1803, SOBICA1804, SOBICA1805, SOBICA1806, SOBICA1807, SOBICA1808, SOBICA1809, SOBICA1810, SOBICA1811, SOBICA1812, SOBICA1813, SOBICA1814, SOBICA1900, SOBICA1901, SOBICA2000, SOBICA2001, SOBICA2002, SOBICA2003, SOBICA2004, SOBICA2050, SOBICA2051, SOBICA2054, SOBICA2055, SOBICA2056, SOBICA2057, SOBICA2058, SOBICA2060, SOBICA2061, SOBICA2062, SOBICA2065, SOBICA2066, SOBICA2067, SOBICA2070, SOBICA2080, SOBICA2100, SOBICA2101, SOBICA2200, SOBICA2300, SOBICA2400, SOBICA2500, SOBICA2600, SOBICA2650, SOBICA2700, SOBICA2800, SOBICA2900, SOBICA3000, SOBICA3001, SOBICA3002, SOBICA3030, SOBICA3040, SOBICA3045, SOBICA3050, SOBICA3070, SOBICA3071, SOBICA3075, SOBICA3076, SOBICA3080, SOBICA3100, SOBICA3101, SOBICA3200, SOBICA3201, SOBICA3300, SOBICA3400, SOBICA3401, SOBICA3450, SOBICA3500, SOBICA3501, SOBICA3502, SOBICA3510, SOBICA3513, SOBICA3520, SOBICA3530, SOBICA3535, SOBICA3550, SOBICA3555, SOBICA3600, SOBICA3700, SOBICA3800, SOBICA3900, SOBICA4000, SOBICA4001, SOBICA4002, SOBICA4003, SOBICA4004, SOBICA4005, SOBICA4006, SOBICA4010, SOBICA4100, SOBICA4200, SOBICA4300, SOBICA4301, SOBICA4400, SOBICA4401, SOBICA4500, SOBICA4501, SOBICA4600, SOBICA4601, SOBICA4602, SOBICA4603, SOBICA4700, SOBICA4800, SOBICA4850, SOBICA4900, SOBICA5000, SOBICA5100, SOBICA5200, SOBICA5400, SOBICA5410, SOBICA5420, SOBICA5450, SOBICA5555, SOBICA5600, SOBICA5700, SOBICA5800, SOBICA5801, SOBICA5900, SOBICA5901, SOBICA6000, SOBICA6001, SOBICA6002, SOBICA6003, SOBICA6100, SOBICA6101, SOBICA6200, SOBICA6201, SOBICA6202, SOBICA6203, SOBICA6204, SOBICA6205, SOBICA6206, SOBICA6207, SOBICA6208, SOBICA6209, SOBICA6210, SOBICA6211, SOBICA6212, SOBICA6213, SOBICA6214, SOBICA6215, SOBICA6216, SOBICA6217, SOBICA6218, SOBICA6219, SOBICA6220, SOBICA6221, SOBICA6222, SOBICA6223, SOBICA6224, SOBICA6225, SOBICA6226, SOBICA6227, SOBICA6228, SOBICA6229, SOBICA6230, SOBICA6231, SOBICA6232, SOBICA6233, SOBICA6234, SOBICA6235, SOBICA6236, SOBICA6237, SOBICA6300, SOBICA6400, SOBICA6430, SOBICA6500, SOBICA6600, SOBICA6700, SOBICA6701, SOBICA6800, SOBICA6900, SOBICA6901, SOBICA6950, SOBICA7000, SOBICA7100, SOBICA7200, SOBICA7300, SOBICA7410, SOBICA7415, SOBICA7420, SOBICA7421, SOBICA7422, SOBICA7423, SOBICA7424, SOBICA7425, SOBICA7426, SOBICA7430, SOBICA7431, SOBICA7435, SOBICA7436, SOBICA7438, SOBICA7439, SOBICA7440, SOBICA7441, SOBICA7445, SOBICA7450, SOBICA7451, SOBICA7452, SOBICA7453, SOBICA7454, SOBICA7455, SOBICA7460, SOBICA7465, SOBICA7470, SOBICA7480, SOBICA7481, SOBICA7490, SOBICA7491, SOBICA7492, SOBICA7500, SOBICA7501, SOBICA7530, SOBICA7531, SOBICA7600, SOBICA7700, SOBICA7701, SOBICA7702, SOBICA7703, SOBICA7704, SOBICA7777, SOBICA7788, SOBICA7800, SOBICA7900, SOBICA8000, SOBICA8100, SOBICA8150, SOBICA8200, SOBICA8300, SOBICA8430, SOBICA8500, SOBICA8777, SOBICA8788, SOBICA8800, SOBICA8900, SOBICA9000, SOBICA9001, SOBICA9002, SOBICA9003, SOBICA9400, SOBICA9410, SOBICA9415, SOBICA9430, SOBICA9431, SOBICA9450, SOBICA9500, SOBICA9501, SOBICA9600, SOBICA9700, SOBICA9800, SOBICR0210, SOBICR0211, SOBICR0410, SOBICR0411, SOBICR0810, SOBICR0811, SOBICR1000, SOBICR1010, SOBICR2000, SOBICR3001, SOBICR3002, SOBICR3004, SOBICR3010, SOBICR3025, SOBICR3050, SOBICR3510

Key	Legend
<	Less Than
>	Greater Than
AICS	Australian Inventory of Chemical Substances
Atm	Atmosphere
CAS	Chemical Abstracts Service (Registry Number)
cm <sup>2</sup>	Square Centimetres
CO <sub>2</sub>	Carbon Dioxide
COD	Chemical Oxygen Demand
deg C (°C)	Degrees Celcius
EPA (New Zealand)	Environmental Protection Authority of New Zealand

<b>deg F (°F)</b>	Degrees Farenheit
<b>g</b>	Grams
<b>g/cm<sup>3</sup></b>	Grams per Cubic Centimetre
<b>g/l</b>	Grams per Litre
<b>HSNO</b>	Hazardous Substance and New Organism
<b>IDLH</b>	Immediately Dangerous to Life and Health
<b>Immiscible</b>	Liquids are insoluble in each other
<b>inHg</b>	Inch of mercury
<b>inH<sub>2</sub>O</b>	Inch of Water
<b>K</b>	Kelvin
<b>kg</b>	Kilogram
<b>kg/m<sup>3</sup></b>	Kilograms per Cubic Metre
<b>lb</b>	Pound
<b>LC50</b>	LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
<b>LD50</b>	LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
<b>ltr or L</b>	Litre
<b>m<sup>3</sup></b>	Cubic Metre
<b>mbar</b>	Millibar
<b>mg/24H</b>	Milligrams per 24 Hours
<b>mg/kg</b>	Milligrams per Kilogram
<b>Mg/m<sup>3</sup></b>	Milligrams per Cubic Metre
<b>Misc or Miscible</b>	Liquids form one homogeneous liquid phase regardless of the amount of either component present.
<b>mm</b>	Millimetre
<b>mmH<sub>2</sub>O</b>	Millimetres of Water
<b>mPa.s</b>	Millipascals per Second
<b>N/A</b>	Not Applicable
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NOHSC</b>	National Occupational Health and Safety Commission
<b>OECD</b>	Organisation for Economic Co-operation and Development
<b>Oz</b>	Ounce
<b>PEL</b>	Permissible Exposure Limit
<b>Pa</b>	Pascal
<b>ppb</b>	Parts per Billion
<b>ppm</b>	Parts per Million
<b>ppm/2h</b>	Parts per Million per 2 Hours
<b>ppm/6h</b>	Parts per Million per 6 Hours
<b>psi</b>	Pounds per Square Inch
<b>R</b>	Rankine
<b>RCP</b>	Reciprocal Calculation Procedure
<b>STEL</b>	Short Term Exposure Limit
<b>TLV</b>	Threshold Limit Value
<b>tne</b>	Tonne
<b>TWA</b>	Time Weighted Average
<b>Ug/24H</b>	Micrograms per 24 Hours
<b>UN</b>	United Nations
<b>wt</b>	Weight

#### Further Information

The information in this safety data sheet is to the best of our knowledge true and accurate at the date of publication. All data, instructions, and recommendations and/or suggestion are made without guarantee.

In all cases, it is the responsibility of the users to determine the applicability of such information and recommendations, and the suitability of any products for their own particular purpose. Accordingly, Adelaide Moulding and Candle Supplies assumes no liability whatsoever for the use of or reliance upon this information or for any damage resulting from handling or from contact with the product.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.