

Safety Data Sheet Sweet Cinnamon Pumpkin Fragrance Revision 1, Date 27/04/2022

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

1. IDENTIFICATION

Product Name: Other Names:

Sweet Cinnamon Pumpkin Fragrance

Product Use Description:

Fragrance for Consumer Product.

Contact Information:

Organisation	Location	Telephone	Ask For
Adelaide Moulding	7 Woodlands Terrace	08 8294 0451	SDS Officer
and Candle Supplies	Edwardstown, South		
	Australia, 5039		
Poisons Information		13 11 26	
Centre			

2. HAZARD IDENTIFICATION

Classification of Substance: Flammable Liquid, Hazard Category 4

> Acute Toxicity - Oral Category 4 Acute Toxicity - Dermal Category 5 Skin Corrosion / Irritation Category 3 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid. H302, Harmful if swallowed.

H313, May be harmful in contact with skin.

H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Statements (s): H227, Combustible liquid.

H302, Harmful is swallowed.

H313, May be harmful in contact with skin.

H316, Causes mil skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Precautionary Statements(s): P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P270, Do not eat, drink, or smoke when using this product.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/312, IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P312, Call a POISON CENTRE or doctor/physician if you feel unwell.

P330, Rinse mouth.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Other Hazards: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

CAS No	Description	GHS Classification	Concentration
120-51-4	Benzyl benzoate	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400- H411	50-100%
121-32-4	Ethyl vanillin	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320- H402	1-<5%
97-53-0	Eugenol	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1BAquatic Acute 2;H303-H316-H317-H319-H401	1-<5%
121-33-5	Vanillin	Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3;H303-H319- H402	1-<5%
104-55-2	Cinnamaldehyde	Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2;H303-H312-H315-H317- H319-H401	1-<5%
4940-11-8	Ethyl maltol	Acute Tox. 4;H302	1-<5%
91-64-5	Coumarin	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402	1-<5%
87-44-5	beta-Caryophyllene	Skin Irrit. 3-Skin Sens. 1B-Asp. Tox 1;H304-H316-H317	0.1-<1%
80-56-8	alpha Pinene	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H303-H304-H315-H317-H410	0.1-<1%
600-14-6	Acetyl propionyl	Flam. Liq. 2-Acute Tox. 5-Acute Tox. 5-Skin Irrit. 3-Eye Dam. 1-Skin Sens. 1B-STOT RE 2-Aquatic Acute 3; H225-H303-H313-H316-H317-H318-H373-H402	0.1-<1%
93-51-6	2-Methoxy-4-methylphenol	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1BAquatic Acute 3;H302-H315-H317-H319-H402	0.1-<1%

Substances with Community workplace exposure limits, not listed above:

Not Applicable.

4. FIRST AID MEASURES

Skin Contact: IF ON SKIN: Wash with plenty of soap and water.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Ingestion:

Most important symptoms and Harmful if swallowed.

effects: May be harmful in contact with skin.

Causes mild skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Adelaide Moulding and Candle Supplies 7 Woodlands Terrace Edwardstown SA 5039 ABN: 85 765 232 986

Phone: +61 8 8294 0451 Email: admin@amcsupplies.com.au Web: www.amcsupplies.com.au Page 2 of 6 Indication of any immediate Medical attention and special treatment needed: None expected.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Carbon dioxide, dry chemical, foam.

Hazardous Combustion Products: In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Advice for Fire Fighters: In case of insufficient ventilation, wear suitable respiratory equipment.

Hazchem Code: NA

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment: Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Environmental Precautions: Keep away from drains, surface and ground water, and soil.

Methods and Suitable materials Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours.

for containment and cleaning up: Contain spillage immediately by use of sand or inert powder.

Dispose of according to local regulations.

7. HANDLING AND STORAGE

Safe Handling Precautions: Do not eat, drink or smoke when using this product.

Storage conditions: Store in a well-ventilated place. Keep container tightly closed. To prevent congealing and denaturing it is

recommended that goods are store at temperatures between 15-30°C. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparkling tools. Take

precautionary measures against static discharge.

Specific end use(s): Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits: Not applicable

Exposure Controls

Eye / Skin Protection Wear protective gloves/eye protection/face protection.

Respiratory Protection Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive

vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and

particulate filters. c) Use closed systems for transferring and processing this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid

Colour: Faint yellow – pale straw
Aroma/Odour: Sweet, caramel, fruity.
Odour threshold: Not determined
Relative density: 1.107 – 1.1214
Flash Point (closed cup test): > 90 °C

pH: Not determined

Melting point / freezing point: Not determined
Initial boiling point / range: Not determined
Evaporation rate: Not determined
Flammability (solid, gas): Not determined

Upper/lower flammability or

Product does not present an explosion hazard

explosive limits:

Vapour pressure: Not determined Vapour density: Not determined Solubility (ies): Not determined

Partition coefficient

n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not expected

Not expected

Not expected

10. STABILITY AND REACTIVITY

Reactivity Hazards: Presents no significant reactivity hazard, by itself or in contact with water.

Chemical Stability: Good stability under normal storage conditions.

Hazardous Reactions: Not expected under normal conditions of use.

Conditions to Avoid: Avoid extreme heat.

Incompatibles: Avoid contact with strong acids, alkalis, or oxidising agents.

Hazardous Decomposition

Not expected.

Products:

11. TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in the UN GHS.

Acute Toxicity: Acute Toxicity – Oral Category 5

Acute Toxicity – Dermal Category 5

Acute Toxicity Oral 1649
Acute Toxicity Dermal 4501
Acute Toxicity Inhalation Not available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 3

Serious eye damage / irritation: Eye Damage / Irritation Category 3

Respiratory or skin sensitisation: Sensitization – Skin Category 1

Germ cell mutagenicity: Based on available data the classification criteria are not met.

Carcinogenicity: Based on available data the classification criteria are not met.

Reproductive toxicity: Based on available data the classification criteria are not met.

STOT – single exposure: Based on available data the classification criteria are not met.

STOT- repeated exposure: Based on available data the classification criteria are not met.

Aspiration hazard: Based on available data the classification criteria are not met.

Information about hazardous Ingredients in the Mixture:

Ingredient	CAS	LD50/ATE	LD50/ATE	LC50/ATE	LC50
		Oral	Dermal	Inhalation	Route
Benzyl benzoate	120-51-4	1500	4000	Not Available	Not Available
Cinnamaldehyde	104-55-2	2500	1100	Not Available	Not Available
Coumarin	91-64-5	500	Not Available	Not Available	Not Available

Ethyl maltol	4940-11-8	1200	Not Available	Not Available	Not Available
Ethyl vanillin	121-32-4	3000	Not Available	Not Available	Not Available
Eugenol	97-53-0	2300	Not Available	Not Available	Not Available
Vanillin	121-33-5	3500	Not Available	Not Available	Not Available

12. ECOLOGICAL INFORMATION

Toxicity: Very toxic to aquatic life with long lasting effects.

Persistence and degradability: Not Available.

Bioaccumulative potential: Not Available.

Mobility in soil: Not Available.

Other Adverse Effects: Not Available

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment.

Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

	UN	UN Proper Shipping Name	Transport hazard	Sub Risk	Packing
	number		class(es)		group
UN Model	UN3082	ENVIRONMENTALLY HAZARDOUS	9	=	III
Regulations		SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, alpha Pinene)			
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, alpha Pinene) MARINE POLLUTANT	9	-	III
ADR, RID, ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, alpha Pinene)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, alpha Pinene)	9	-	III

Environmental Hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a

Marine Pollutant under the IMDG Code.

Special Precautions for user: None additional

Transport in bulk according to Annex II of MARPOL73/78 and Not Applicable

the IBC Code:

15. REGULATORY INFORMATION

None additional

16. OTHER INFORMATION

Concentration % Limits: EH A1=30.60% EH A2=3.04% EH A3=0.30423352% EH C2=30.20% EH C3=3.02% EH C4=30.60% SCI 3=41.26% EDI

2A=99.53% SS 1=5.00%

Total Fractional Values: EH A1=3.27 EH A2=32.85 EH A3=328.69 EH C2=3.31 EH C3=33.11 EH C4=3.27 SCI 3=2.42 EDI 2A=1.00 SS 1=20.00

Further Information

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity – Oral Category 4

	T
Acute Tox. 4	Acute Toxicity – Dermal Category 4
Acute Tox. 5	Acute Toxicity – Oral Category 5
Acute Tox. 5	Acute Toxicity – Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq.2	Flammable Liquid, Hazard Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe vapour or dust.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
	, ,

P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
STOT RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, and recommendations and/or suggestions are made without guarantee.

The Material Safety Data Sheet is intended to provide information for a health and safety assessment of the material. This document is not intended for quality assurance purposes.