

1. IDENTIFICATION

Product Name: Tropical Gin Fragrance
Other Names:
Product Use Description: Fragrance for Consumer Product
Contact Information:

Organisation	Location	Telephone	Ask For
Adelaide Moulding and Candle Supplies	7 Woodlands Terrace Edwardstown, South Australia, 5039	08 8294 0451	SDS Officer
Poisons Information Centre		13 11 26	

2. HAZARD IDENTIFICATION

Classification of Substance: Flammable Liquid, Hazard Category 4
 Skin Corrosion / Irritation Category 2
 Eye Damage / Irritation Category 2
 Eye Irritation Category 2
 Skin Sensitisation Category 1
 Long-term (chronic) aquatic hazard, Category 2
 Hazardous to the Aquatic Environment - Acute Hazard Category 2
 Hazardous to the Aquatic Environment - Long-term Hazard Category 2
 H227 Combustible liquid.
 H315 Causes skin irritation.
 H317, May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H411, Toxic to aquatic life with long lasting effects.

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Statements (s): H227 Combustible liquid.
 H315 Causes skin irritation.
 H317, May cause an allergic skin reaction.
 H319, Causes serious eye irritation.
 H411, Toxic to aquatic life with long lasting effects.

Precautionary Statements(s): P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
 P261, Avoid breathing vapour or dust.
 P264 Wash hands and other contacted skin thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273, Avoid release to the environment.
 P280, Wear protective gloves/eye protection/face protection.
 P302/352 IF ON SKIN: Wash with plenty of soap and water.
 P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.
P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P337/313, If eye irritation persists: Get medical advice/attention
P391, Collect spillage.
P403/235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container to approved disposal site, in accordance with local regulations.

Hazardous component which must be listed on the label: Linalyl acetate
(R)-p-mentha-1,8-diene; d-limonene
Benzyl salicylate
Cyclohexanepropanoic acid, 2-propen-1-yl ester
3-p-Cumenyl-2-methylpropionaldehyde
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde
Citronellol
4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde

Other Hazards: This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

EC No	CAS No	Description	GHS Classification	Concentration (%w/w)
88-41-5	20298-69-5	cis-2-tert-Butylcyclohexyl acetate	Aquatic Chronic 2; H411	>= 10 - < 20
203-305-9	105-53-3	Diethyl malonate	Eye Irrit. 2; H319	>= 1 - < 10
204-116-4	115-95-7	Linalyl acetate	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 1 - < 10
204-263-4	118-60-5	2-Ethylhexyl salicylate	Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	>= 2,5 - < 10
227-813-5	5989-27-5	(R)-p-mentha-1,8-diene; d-limonene	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
272-805-7	68912-13-0	3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate	Aquatic Chronic 2; H411	>= 1 - < 2,5
204-640-3	123-66-0	Ethyl hexanoate	Flam. Liq. 3; H226 Skin Irrit. 2; H315	>= 1 - < 10
201-224-3	79-77-6	(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one	Aquatic Chronic 2; H411	>= 1 - < 2,5
204-262-9	118-58-1	Benzyl salicylate	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 1 - < 2,5
205-399-7	140-11-4	Benzyl acetate	Aquatic Chronic 3; H412	>= 1 - < 2,5
204-642-4	123-68-2	Allyl hexanoate	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M-Factor (Acute aquatic toxicity): 1	>= 0,25 - < 1
220-292-5	2705-87-5	Cyclohexanepropanoic acid, 2-propen-1-yl ester	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1

			M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
203-161-7	103-95-7	3-p-Cumenyl-2-methylpropionaldehyde	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 0,25 - < 1
268-264-1	68039-49-6 68039-48-5	2,4-Dimethylcyclohex-3-ene-1-carbaldehyde	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 0,25 - < 1
279-815-0	81782-77-6	4-Methyl-3-decen-5-ol	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1	>= 0,25 - < 1
266-803-5	67634-00-8	Allyl (3-methylbutoxy)acetate	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315	>= 0,1 - < 1
203-375-0	106-22-9	Citronellol	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0,1 - < 1
250-863-4	31906-04-4	4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde	Skin Sens. 1A; H317	< 0,1
201-550-6	84-66-2	Diethyl phthalate	Skin Irrit. 3-Aquatic Acute 3;H316-H402	50-100%
204-727-6	125-12-2	Isobornyl acetate	Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2; H227-H316-H401	10-<20%
201-134-4	78-70-6	Linalool	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3; H227-H303-H315-H317-H319-H402	1-<5%
204-262-9	118-58-1	Benzyl salicylate	Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1BAquatic Acute 2-Aquatic Chronic 3;H303-H317-H320-H401-H412	1-<5%
228-408-6	6259-76-3	Hexyl salicylate	Skin Irrit. 2-Skin Sens. 1-Aquatic Acute 1-Aquatic Chronic 1;H315-H317-H410	1-<5%
204-116-4	115-95-7	Linalyl acetate	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H227-H315-H319-H402	1-<5%
904-693-9	8007-35-0	Terpinyl acetate (Isomer mixture)	Skin Irrit. 3-Aquatic Acute 2;H316-H401	1-<5%
203-161-7	103-95-7	2-Methyl-3-(p-isopropylphenyl) propionaldehyde	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315-H317-H401-H412	1-<5%
242-362-4	18479-58-8	Dimyrcetol	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 3;H227-H303-H315-H319-H402	1-<5%
246-495-9	24851-98-7	Methyl dihydrojasmonate	Aquatic Acute 3;H402	1-<5%
201-061-8	77-83-8	Ethyl methylphenylglycidate	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H317-H411	1-<5%
201-291-9	80-56-8	alpha Pinene	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H303-H304-H315-H317-H410	1-<5%
229-352-5	6485-40-1	l-Carvone	Flam. Liq. 4-Acute Tox. 5-Skin Sens. 1B Aquatic Acute 2;H227-H313-H317-H401	1-<5%
202-086-7	91-64-5	Coumarin	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-H317-H402	1-<5%
203-113-5	103-45-7	Phenethyl acetate	Acute Tox. 5-Eye Dam. 1;H303-H318	1-<5%
251-020-3	32388-55-9	Acetyl cedrene	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute	0.1-<1%

			1-Aquatic Chronic 1;H316-H317-H410	
250-954-9	32210-23-4	4-tert-Butylcyclohexyl acetate	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401	0.1-<1%
204-881-4	128-37-0	Butylated hydroxytoluene	Aquatic Acute 1-Aquatic Chronic 1;H410	0.1-<1%
915-730-3	54464-57-2	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410	0.1-<1%
227-813-5	5989-27-5	Limonene	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	0.1-<1%
204-872-5	127-91-3	beta-Pinene	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	0.1-<1%
227-815-6	5989-54-8	l-Limonene	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1BAsp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315-H317-H410	0.1-<1%
202-589-1	97-53-0	Eugenol	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2ASkin Sens. 1B-Aquatic Acute 2;H303-H316-H317-H319-H401	0.1-<1%
220-292-5	2705-87-5	Allyl cyclohexanepropionate	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4-Skin Sens. 1-Aquatic Acute 1-Aquatic Chronic 1;H302-H312-H317-H332-H410	0.1-<1%
207-418-4	469-61-4	alpha-Cedrene	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410	0.1-<1%
201-234-8	79-92-5	Camphene	Flam. Liq. 3-Flam. Sol. 2-Eye Irrit. 2BAquatic Acute 1-Aquatic Chronic 1;H226-H228-H320-H410	0.1-<1%
203-765-0	110-41-8	2-Methylundecanal	Flam. Liq. 4-Skin Irrit. 2-Skin Sens. 1BAquatic Acute 1-Aquatic Chronic 1;H227-H315-H317-H410	0.1-<1%
207-431-5	470-82-6	Eucalyptol	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B;H226-H303-H316-H317	0.1-<1%
939-604-2	68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H315-H317-H411	0.1-<1%
203-375-0	106-22-9	Citronellol	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401	0.1-<1%
	1335-66-6	Isocyclocitral	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H227-H303-H315-H317-H319-H401-H412	0.1-<1%
218-690-9	2216-51-5	l-Menthol	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2AAquatic Acute 3;H303-H315-H319-H402	0.1-<1%
236-719-3	13466-78-9	delta-3-Carene	Flam. Liq. 3-Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H226-H303-H304-H315-H317	0.1-<1%
	546-28-1	beta-Cedrene	Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-	<0.1%

			Aquatic Chronic 1;H304-H316-H410	
--	--	--	----------------------------------	--

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
(2-Methoxymethylethoxy) propanol	34590-94-8	252-104-2	>= 30 - < 50
Butylated hydroxytoluene	128-37-0	204-881-4	0.55%
Diethyl phthalate	84-66-2	201-550-6	52.51%

4. FIRST AID MEASURES

General advice:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
Protection of first aiders:	First Aid responders should pay attention to self-protection and use the recommended protective clothing
Skin Contact:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
Eye Contact:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
Swallowed:	Rinse mouth with water. Keep respiratory tract clear. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects:	May cause an allergic skin reaction. Causes serious eye irritation. First aider needs to protect himself.
Indication of any immediate Medical attention and special treatment needed:	The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. There is no specific antidote available.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.
Unsuitable extinguishing media:	High volume water jet
Hazardous Combustion Products:	In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.
Advice for Fire Fighters:	Special protective equipment in the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes. Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid inhalation. Avoid contact with skin and eyes.
Environmental Precautions:	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates river and lakes or drains inform respective authorities. Keep away from drains, surface and ground water, and soil.
Methods and Suitable materials for containment and cleaning up:	Soak up with inert absorbent material (sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, close container for disposal. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

7. HANDLING AND STORAGE

Safe Handling Precautions:	Avoid formation of aerosol. For personal protection see section 8. Smoking, eating, and drinking should be prohibited in the application areas. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse
-----------------------------------	--

water in accordance with local and national regulations. Normal measures for preventive fire protection. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink, or smoke when using this product.

Storage conditions:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installation/working material must comply with the technological safety standards. No special restriction on storage with other products. Storage class (TRGS 510) 10, combustible liquids. No decomposition if stored and applied as directed.

Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink, or smoke when using this product.

Specific end use(s):

Fragrance mix. Use in accordance with good manufacturing and industrial hygiene practices.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace exposure limits:

Ingredient	CAS	Value type (Form of exposure)	Control parameters	Basis
(2-Methoxymethylethoxy)propanol	34590-94-8	MAK (vapour)	50 ppm 310 mg/m ³	DFG
		TWA	50 ppm 308 mg/m ³	91/322/EEC
		TWA	50 ppm 308 mg/m ³	EU SCOEL
		AGW (Vapor and aerosol)	50 ppm 310 mg/m ³	DE TRGS 900
Further information: Sum of vapours and aerosols				
(R)-p-mentha-1,8-diene; d-limonene	5989-27-5	MAK	5 ppm 28 mg/m ³	DFG
		AGW	5 ppm 28mg/m ³	DE TRGS 900
Butylated hydroxytoluene	128-37-0			

Ingredient	CAS	EC	Description	Ppm	Mg/m ³	Reference
Butylated hydroxytoluene	128-37-0	204-881-4	Long-term exposure limit (8-hour TWA reference period)	-	-	-
			Short-term exposure limit (15-minute reference period)	-	-	-
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-hour TWA reference period)	-	-	-
			Short-term exposure limit (15-minute reference period)	-	-	-

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Citronellol	Workers	Inhalation	Long-term systemic effect	161,6 mg/m ³
	Workers	Inhalation	Long-term local effects	10 mg/m ³
	Workers	Inhalation	Acute local effects	10mg/m ³
	Workers	Skin contact	Long-term systemic effect	327.4 mg/kg/bw/day
	Workers	Skin contact	Acute local effects	2.95 mg/cm ²
	Consumers	Skin contact	Acute local effects	2.95mg/cm ²
	Consumers	Skin contact	Long-term systemic effect	196,4 mg/kg/bw/day

	Consumers	Inhalation	Acute local effects	10mg/m3
	Consumers	Inhalation	Long-term local effects	10mg/m3
	Consumers	Inhalation	Long-term systemic effect	47,8mg/m3
	Consumers	Inhalation	Long-term systemic effect	13,8mg/kh/bw/day
Allyl hexanoate	Workers	Inhalation	Long-term systemic effect	15mg/m3
	Workers	Skin contact	Long-term systemic effect	4,3mg/kg/bw/day
	Consumers	Inhalation	Long-term systemic effect	3.7mg/m3
	Consumers	Skin contact	Long-term systemic effect	2,1mg/kg/bw/day
	Consumers	Ingestion	Long-term systemic effect	2,1mg/kg/bw/day
Cyclohexanepropanoic acid, 2-propen-1-yl ester	Workers	Inhalation	Long-term systemic effect	15mg/m3
	Workers	Skin contact	Long-term systemic effect	4,3mg/kg/bw/day
	Consumers	Inhalation	Long-term systemic effect	3,7mg/m3
	Consumers	Skin contact	Long-term systemic effect	2,1mg/kg/bw/day
	Consumers	Ingestion	Long-term systemic effect	2,1mg/kg/bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No.1907/2006:

Substance name	Environmental Compartment	Value
Citronellol	Fresh water	0,002 mg/l
	Fresh water sediment	0,026 mg/kg dry weight (d.w.)
	Marine water	0,00024 mg/l
	Marine sediment	0,003 mg/kg dry weight (d.w.)
	Sewage treatment plant	580 mg/l
	Soil	0,004 mg/kg dry weight (d.w.)
Allyl hexanoate	Fresh water	0,000117 mg/l
	Fresh water sediment	0,00446 mg/kg dry weight (d.w.)
	Marine water	0,000012 mg/l
	Marine sediment	0,000446 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	0,000825 mg/kg dry weight (d.w.)
Cyclohexanepropanoic acid, 2-propen-1-yl ester	Fresh water	0,00013 mg/l
	Fresh water sediment	0,02413 mg/kg dry weight (d.w.)
	Marine water	0,000013 mg/l
	Marine sediment	0,002413 mg/kg dry weight (d.w.)
	Sewage treatment plant	0,2 mg/l
	Soil	0,00475 mg/kg dry weight (d.w.)

Exposure Controls

Eye protection

Eye was bottle with pure water.
Tightly fitting safety goggles.
Wear face-shield and protective suit for abnormal processing problems.
Wear protective gloves/eye protection/face protection.

Hand protection

Remarks:

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use. Wear chemicals-resistant gloves, e.g. safety gloves of nitril (thickness 0.4mm) or of butyl rubber (thickness 0.7mm).

Skin and body protection

Impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to.
If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures:
a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.
b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters.
c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Conforms to Standard
Physical state:	Clear liquid
Colour:	Colourless to yellow
Aroma/Odour:	Characteristic, Pine, Fir, Woody Fresh
Odour threshold:	No data available
Melting point/freezing point:	Not determined
Boiling point/boiling range:	Not determined
Upper explosion limit / upper flammability limit:	Vapours many form explosive mixtures with air
Lower explosion limit/ Lower flammability limit:	Vapours may form explosive mixtures with air
Flash point:	85°C
Decomposition temperature:	Not determined
pH:	Not applicable
Viscosity:	
Dynamic	Not determined
Kinematic	Not determined
Solubility (ies)	
Water solubility:	Immiscible
Partition coefficient:	
n-octanol/water	Not applicable
Vapour pressure:	1 kPa (50 °C)
Relative density:	1.0419 – 1.0559
Bulk density:	Not applicable
Relative vapour density:	Not determined

Other information

Explosives:	Due to its structural properties, the product is not classified as explosive
Oxidizing properties:	The substance or mixture is not classified as oxidizing
Self-ignition:	The substance or mixture is not classified as self heating.
Evaporation rate:	Not applicable
Molecular weight:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity Hazards:	Presents no significant reactivity hazard, by itself or in contact with water.
Chemical Stability:	Good stability under normal storage conditions.
Hazardous Reactions:	No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to Avoid:	Avoid extreme heat.
Incompatibles:	Avoid contact with strong acids, alkalis or oxidising agents.
Hazardous Decomposition Products:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	Not classified based on available information.
Acute oral toxicity:	Acute toxicity estimate: >2.000 mg/kg Method: Calculation method
Acute inhalation toxicity:	Acute toxicity estimate: >5mg/l Exposure: 4h Test atmosphere: dust/mist

Method: Calculation method

Acute dermal toxicity: Acute toxicity estimate: >2.000 mg/kg
Method: Calculation method

Information on other hazards

Endocrine disrupting properties: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available

Inhalation Route: Not Available

Information about Hazardous Ingredients in the Mixture:

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Coumarin	91-64-5	202-086-7	500	Not available	Not available	Not available

12. ECOLOGICAL INFORMATION

Toxicity: Very toxic to aquatic life with long lasting effects.

Persistence and Degradability Components:

cis-2-tert-Butylcyclohexyl acetate: Test Type: Manometric respiration test
Result: Inherently biodegradable.
Biodegradability: Biodegradation: 61 %
Exposure time: 60 d
Method: OECD 301F
GLP: yes

Diethyl malonate: Test Type: Manometric respiration test
Biodegradability: Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

Linalyl acetate: Test Type: Manometric respiration test
Biodegradability: Result: Readily biodegradable.
Biodegradation: 76 %
Exposure time: 28 d
Method: OECD 301F
GLP: no

2-Ethylhexyl salicylate: Test Type: CO2 Evolution Test
Biodegradability: Result: Readily biodegradable.
Biodegradation: 71 %
Exposure time: 28 d
Method: OECD 301B
GLP: yes

3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate: Test Type: MITI Test II
Biodegradability: Result: Partially inherently biodegradable.
Biodegradation: 20 %
Exposure time: 28 d
Method: OECD 302C
GLP: yes

Ethyl hexanoate: Test Type: Manometric respiration test
Biodegradability: Result: Readily biodegradable.

	Biodegradation: 79 % Exposure time: 28 d Method: OECD 301F GLP: yes
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one: Biodegradability	Test Type: OECD 301F Inoculum: activated sludge Concentration: 50 mg/l Result: Readily biodegradable. Biodegradation: 70 - 80 % Exposure time: 28 d GLP: no
Benzyl salicylate: Biodegradability	Type: Manometric respiration test Result: Readily biodegradable. Biodegradation: 93 % Exposure time: 28 d Method: OECD 301F GLP: yes
Benzyl acetate: Biodegradability	Test Type: Sturm test, OECD 301-B, (CO2): Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: no
Allyl hexanoate: Biodegradability	Test Type: Manometric Respirometry Test Result: Readily biodegradable. Biodegradation: 70 % Exposure time: 28 d Method: OECD 301F GLP: yes
Cyclohexanepropanoic acid, 2-propen-1-yl ester: Biodegradability	Test Type: Closed Bottle test Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 28 d Method: OECD 301D GLP: yes
3-p-Cumenyl-2-methylpropionaldehyde: Biodegradability	Test Type: CO2 Evolution Test Result: Readily biodegradable. Biodegradation: 66 % Exposure time: 28 d Method: OECD 301B GLP: No information available.
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde: Biodegradability	Test Type: MITI Test I Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD 301C GLP: yes
4-Methyl-3-decen-5-ol: Biodegradability	Test Type: Manometric respiration test Result: Readily biodegradable. Biodegradation: 73 % Exposure time: 28 d Method: OECD 301F GLP: yes
Allyl (3-methylbutoxy)acetate: Biodegradability	Test Type: Sturm test, OECD 301-B, (CO2): Result: Readily biodegradable. Biodegradation: 89,1 % Exposure time: 28 d Method: OECD 301B GLP: no

Citronellol: Biodegradability	Test Type: aerobic Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 80 - 90 % Exposure time: 28 d GLP: no
4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde: Biodegradability	Test Type: Closed Bottle test Result: Readily biodegradable. Biodegradation: 63 % Exposure time: 28 d Method: OECD 301D GLP: yes
(2-Methoxymethylethoxy)propanol: Biodegradability	Test Type: Manometric respiration test Result: Readily biodegradable. Biodegradation: 96 % Exposure time: 28 d Method: OECD 301F GLP: yes
Bioaccumulative potential:	
cis-2-tert-Butylcyclohexyl acetate: Partition coefficient: n-octanol/water	log Pow: 4,8 (25 °C) pH: 7 Method: OECD 117 GLP: yes
Diethyl malonate: Partition coefficient: n-octanol/water	log Pow: 0,96 Method: OECD Test Guideline 107
Linalyl acetate: Partition coefficient: n-octanol/water	log Pow: 3,9 (25 °C) Method: OECD Test Guideline 107 GLP: yes
2-Ethylhexyl salicylate: Partition coefficient: n-octanol/water	log Pow: 5,94 (25 °C) pH: 7,8 Method: OECD Test Guideline 123 GLP: yes
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate: Partition coefficient: n-octanol/water	log Pow: 3,34 Remarks: calculated
Ethyl hexanoate: Partition coefficient: n-octanol/water	log Pow: 2,96 (22,4 °C) Method: OECD 117 GLP: yes
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one: Partition coefficient: n-octanol/water	Pow: 4 (25 °C)
Benzyl salicylate: Partition coefficient: n-octanol/water	log Pow: 4,0 (35 °C) Method: OECD 117 GLP: yes
Benzyl acetate:	log Pow: 1,96 (25 °C) pH: 7
Allyl hexanoate: Bioaccumulation	Bioconcentration factor (BCF): 102,3 Remarks: calculated
Partition coefficient: n-octanol/water	log Pow: 3,191 (20 °C) Method: OECD Test Guideline 107 GLP: yes
Cyclohexanepropanoic acid, 2-propen-1-yl ester: Partition coefficient: n-octanol/water	log Pow: 4,28 (20 °C) Method: OECD Test Guideline 107

GLP: yes

3-p-Cumenyl-2-methylpropionaldehyde:

Partition coefficient: log Pow: 3,4 (35 °C)
n-octanol/water Method: OECD 117
GLP: yes

2,4-Dimethylcyclohex-3-ene-1-carbaldehyde:

Partition coefficient: log Pow: 2,7 (25 °C)
n-octanol/water Method: OECD Test Guideline 117
GLP: yes

4-Methyl-3-decen-5-ol:

Partition coefficient: log Pow: 3,9 (30 °C)
n-octanol/water pH: 7
Method: OECD 117
GLP: yes

Allyl (3-methylbutoxy)acetate:

Partition coefficient: log Pow: 2,34
n-octanol/water Remarks: calculated

Citronellol:

Bioaccumulation: Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: log Pow: 3,41 (25 °C)
n-octanol/water GLP: no

4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde:

Partition coefficient: log Pow: 3,3
n-octanol/water Remarks: calculated
log Pow: 3,32
Remarks: calculated

(2-Methoxymethylethoxy) propanol:

Partition coefficient: log Pow: 1,01
n-octanol/water

Mobility in soil:

Benzyl salicylate: Adsorption/Soil
Distribution among Medium: Soil
environ-mental compartments log Koc: 3,75
Method: OECD 121

Allyl hexanoate: log Koc: 2,53
Distribution among Remarks: calculated
environ-mental compartments

Cyclohexanepropanoic acid, 2-propen-1-yl ester:

Distribution among log Koc: 3,26
environ-mental compartments Remarks: calculated

2,4-Dimethylcyclohex-3-ene-1-carbaldehyde:

Distribution among Adsorption/Soil
environ-mental compartments Medium: Soil
log Koc: 2,2
Method: OECD 121

PBT and vPvB Assessment

Product: This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

Components:

Allyl hexanoate: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Cyclohexanepropanoic acid, 2-propen-1-yl ester: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Endocrine disrupting properties:

Product: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other Adverse Effects**Product:**

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Components:**cis-2-tert-Butylcyclohexyl acetate:**

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Diethyl malonate:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

2-Ethylhexyl salicylate:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Benzyl salicylate:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

Benzyl acetate:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

Allyl hexanoate:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.

Cyclohexanepropanoic acid, 2-propen-1-yl ester:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

2,4-Dimethylcyclohex-3-ene-1-carbaldehyde:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

4-Methyl-3-decen-5-ol:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.

Citronellol:

Additional ecological information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS**Disposal:**

Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste treatment methods:

The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways, or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging:

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. TRANSPORT INFORMATION

UN Number:	UN3082
UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-ETHYLHEXYL SALICYLATE,LIMONENE)
Transport Hazard Class(es):	9
Packing Group:	
Packing group	III
Classification code	M6
Hazard identification number	90
Labels	9
Tunnel restriction code	(-)
Environmental Hazards:	This is an environmentally hazardous substance.
Special Precautions for user:	The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.
Maritime transport in bulk according to IMO instruments:	Not Applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations Specific for the substance or mixture.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations, and articles (Annex XVII):
Conditions of restriction for the following entries should be considered:

Number on list 3
Orange, sweet, ext. (Number on list 40, 3)
4-Methyl-3-decen-5-ol (Number on list 3)
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde (Number on list 3)
Citronellol (Number on list 3)
isopentyl acetate (Number on list 40, 3)
3-p-Cumenyl-2-methylpropionaldehyde (Number on list 3)
3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate (Number on list 3)
Allyl (3-methylbutoxy)acetate (Number on list 3)
2,2,5-Trimethyl-5-pentylcyclopentan-1-one (Number on list 3)
(E)-4-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-3-buten-2-one (Number on list 3)
2-Ethylhexyl salicylate (Number on list 3)
Diethyl malonate (Number on list 3)
3,4,4a,5,8,8a-Hexahydro-3',7'-dimethylspiro[1,4-methanonaphthalene-2(1H),2'-oxirane] (Number on list 3)
Allyl hexanoate (Number on list 3)
Ethyl hexanoate (Number on list 40, 3)
Ethyl 2-methylbutyrate (Number on list 40, 3)
Benzyl acetate (Number on list 3)
Benzyl salicylate (Number on list 3)
Cyclohexanepropanoic acid, 2-propen-1-yl ester (Number on list 3)
Linalyl acetate (Number on list 3)
Pentyl butyrate (Number on list 3)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59):
Not applicable

REACH - List of substances subject to authorisation (Annex XIV):
Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E2	ENVIRONMENTAL HAZARDS	200t	500t

Water hazard class (Germany): WGK 2 obviously hazardous to water
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany): Total dust:
Not applicable
Inorganic substances in powdered form:
Not applicable
Organic Substances:
portion Class 1: 1,21 %
Carcinogenic substances:
Not applicable
Mutagenic:
Not applicable
Toxic to reproduction:
Not applicable

Volatile organic compounds: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control).
Volatile organic compounds (VOC) content: 67,22 %

Other regulations: Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Chemical safety assessment: A Chemical Safety Assessment is not required for this substance.

16. OTHER INFORMATION

Concentration % Limits: EH A2=18.85% EH A3=1.80% EH C2=21.13% EH C3=2.10% SCI 2=73.22% SCI 3=4.37% EDI 2A=45.62% SS 1=29.68%

Total Fractional Values: EH A2=5.31 EH A3=55.59 EH C2=4.73 EH C3=47.54 SCI 2=1.37 SCI 3=22.87 EDI 2A=2.19 SS 1=3.37

Key to revisions: SECTION 3: Composition/information on ingredients.

Further Information

Abbreviation	Meaning
Acute Tox.	Acute toxicity
Acute Tox. 4	Acute Toxicity – Oral Category 4
Acute Tox. 4	Acute Toxicity – Dermal Category 4
Acute Tox. 4	Acute Toxicity – Inhalation Category 4
Acute Tox. 5	Acute Toxicity – Oral Category 5
Acute Tox. 5	Acute Toxicity – Dermal Category 5
Aquatic Acute	Short-term (acute) aquatic hazard
Aquatic Chronic	Long-term (chronic) aquatic hazard
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox.	Aspiration hazard
Asp. Tox 1	Aspiration Hazard Category 1
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2
Eye Irrit.	Eye irritation
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
Flam. Sol. 2	Flammable Solid, Hazard Category 2
Flam. Liq.	Flammable liquids
Skin Irrit.	Skin irritation
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B
Skin Sens.	Skin sensitisation
91/322/EEC	Europe. Commission Directive 91/322/EEC on establishing indicative limit values
DE TRGS 900	Germany. TRGS 900 - Occupational exposure limit values.

DFG	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).
EU SCOEL	EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European Commission - SCOEL, as amended
91/322/EEC / TWA	Time weighted average
DE TRGS 900 / AGW	Exposure limit(s):
DFG / MAK	Maximum allowable concentration:
EU SCOEL / TWA	Time weighted average
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.

P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.

Further information

Classification of mixture		Classification Procedure
Eye Irrit.2	H319	Calculation method
Skin Sens.1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.